

HPE6-A70^{Q&As}

Aruba Certified Mobility Associate Exam

Pass HP HPE6-A70 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a70.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Radio PHY of HT 20MHz
- B. Max speed of 72Mbps
- C. Goodput data rate of 12 Mbps
- D. Usage of 10 MB

Correct Answer: D

QUESTION 2

Refer to the exhibit.

Exam_Employee	General	VLANs	Security	Access
Name (ssid): Exam_Employee				
Primary usage: <input checked="" type="radio"/> Employee <input type="radio"/> Guest				
Select AP Groups <input type="text" value="v"/>				
Broadcast on: <input checked="" type="checkbox"/> default <input type="checkbox"/> Public Areas <input type="text" value="▲"/>				
Forwarding mode: <input type="text" value="Tunnel"/> <input type="text" value="v"/>				
Broadcast SSID: <input type="text" value="No"/> <input type="text" value="v"/>				

What describes the behavior for this WLAN?

- A. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.
- B. No APs broadcast the SSID. Clients cannot connect to the WLAN until administrators activate it.
- C. No APs broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.

D. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in any group.

Correct Answer: C

QUESTION 3

What is one difference between captive portal authentication and 802.1X authentication?

A. 802.1X authentication always authenticates the wireless client, while captive portal authentication always authenticates the wireless user.

B. 802.1X authentication occurs at Layer 2, while captive portal authentication occurs at Layer 3.

C. 802.1X authentication must use an LDAP server, while captive portal authentication can use a RADIUS server or an LDAP server.

D. 802.1X authentication is typically implemented without encryption, while captive authentication is often combined with WPA or WPA2.

Correct Answer: B

QUESTION 4

Which task can an Aruba Spectrum Monitor (SM) perform?

A. Analyze wireless traffic patterns at the application level.

B. Optimize RF through the AP channel and transmit power plans.

C. Analyze RF signals to determine the cause of non-802.11 interference.

D. Help to detect rogue APs in the environment.

Correct Answer: C

QUESTION 5

A network administrator needs to create an Aruba firewall rule that permits wireless users to receive DHCP settings when they first connect to the Aruba solution. What are the correct source and destination aliases for the rule?

A. source = any and destination = user

B. source = any and destination = any

C. source = user and destination = user

D. source = user and destination = any

Correct Answer: B

[HPE6-A70 PDF Dumps](#)

[HPE6-A70 VCE Dumps](#)

[HPE6-A70 Practice Test](#)