

HPE6-A71^{Q&As}

Aruba Certified Mobility Professional Exam

Pass HP HPE6-A71 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a71.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A company network implements Skype for Business, where voice and video calls, desktop sessions, and file sharing sessions need to be prioritized. These applications are used across a wireless network, implemented with Aruba APs and Aruba Mobility Controllers (MC) that run ArubaOS 8.x.

Which Unified Communications and Collaboration (UCC) deployment mode should an administrator recommend for this customer?

- A. WMM-only
- B. SDN API
- C. Zones
- D. Heuristics

Correct Answer: B

QUESTION 2

A VIA client tries to initially connect to corporate office controller through an intermediate firewall. However, the VPN connection fails. The administrator examines the firewall rules and determines that rules for UDP 4500 and UDP 500 are configured.

Which additional protocol must be allowed in the firewall rules to resolve this connection failure?

- A. TCP 389
- B. UDP 4500
- C. UDP 8200
- D. TCP 993

Correct Answer: B

QUESTION 3

An administrator at Campus A manages Aruba Mobility Controllers (MCs). The administrator defines a server group that includes a local ClearPass server and a remote Microsoft RADIUS server. The ClearPass server has the credentials for users at Campus A and the Microsoft RADIUS server has the credentials for users at Campus B. Users at Campus A successfully authenticate and connect to the Campus A wireless network. However, when users from Campus B visit Campus A they fail authentication.

What can the administrator do to solve this problem?

- A. Enable FastConnect on the Campus A Mobility Controllers.
- B. Enable machine authentication on the Mobility Controllers.
- C. Enable EAP-TTLS with EAP Termination on the Mobility Controllers.
- D. Enable EAP termination on the ClearPass server.

Correct Answer: A

QUESTION 4

Which protocol communicates RF neighborhood information to an Aruba Mobility Master (MM) for use by AirMatch?

- A. GRE
- B. PAPI
- C. SNMP
- D. AMON

Correct Answer: D

QUESTION 5

An administrator enables AP load balancing for a cluster of Mobility Controllers (MCs). APs connected to the cluster have an LMS IP address configured in their AP Group configuration. No other parameters are changed in the cluster.

If the two load AP thresholds are reached, what occurs?

- A. The APs are rebalanced across the cluster.
- B. The APs always stay connected to the LMS IP address configured in the AP Group profile.
- C. The users are rebalanced across the cluster.
- D. The users and APs are rebalanced across the cluster.

Correct Answer: D
