

HPE6-A72^{Q&As}

Aruba Certified Switching Associate Dumps

Pass HP HPE6-A72 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/hpe6-a72.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which field in the IPv4 header indicates whether the IP packet carries TCP or UDP traffic?

- A. Protocol
- B. IHL
- C. TTL
- D. Identification

Correct Answer: A

QUESTION 2

Which switch supports a maximum of 8 line-cards, 3 fabric modules, and 2 management cards?

- A. Aruba 8400
- B. Aruba 8408
- C. Aruba 6410
- D. Aruba 5412r

Correct Answer: A

Reference: https://packetpushers.net/aruba-8400-review-2/

QUESTION 3

Refer to the exhibit.

```
Ethernet adapter Ethernet 3:
Connection-specific DNS Suffix
Description . . . .
                                    Killer E2200 Gigabit Ethernet Controller #2 #2 #2
Physical Address.
                                    D8-CB-8A-17-8D-ED
DHCP Enabled.
Autoconfiguration Enabled .
Link-local IPv6 Address
                                    fe80::dlea:377f:5154:9f53%3(Preferred)
                                    192.168.1.10(Preferred)
IPv4 Address.
                                .: 255.255.255.0
Subnet Mask . . .
Default Gateway .
                                  : 192.168.1.1
```

What is the correct binary conversion of the last two hexadecimal characters of the physical address?



A. 1101 1000

B. 1110 1101

C. 1001 1111 0101 0011

D. 1000 1101 1110 1101

Correct Answer: B

QUESTION 4

What command will save your configuration on an Aruba AOS-CX switch so that your changes automatically load on next reboot?

- A. copy running-config checkpoint startup-config
- B. copy startup-config running-config
- C. copy running-config initial-checkpoint
- D. copy running-config default

Correct Answer: A

QUESTION 5

Refer to the exhibit.

VLAN	Name	Mode	Mapping
1	DEFAULT_VLAN_1	native-untagged	port
10	Sales	trunk	port
20	Service	trunk	port
30	Customer	trunk	port

Which command produces the above output?

- A. show interface port 1/1/10 trunk
- B. show vlan port 1/1/10
- C. show trunk port 1/1/10 extended
- D. show interface port 1/1/10 switchport

Correct Answer: C



