

# HPE6-A75<sup>Q&As</sup>

Aruba Certified Edge Professional Exam

**Pass HP HPE6-A75 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a75.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Why is a terminate session enforcement profile used during posture checks with 802.1 x authentication?

- A. To send a RADIUS CoA message from the ClearPass server to the client
- B. To disconnect the user for 30 seconds when they are in an unhealthy posture state
- C. To blacklist the user when they are in an unhealthy posture state
- D. To force the user to re-authenticate and run through the service flow again
- E. To remediate the client applications and firewall do that updates can be installed

Correct Answer: A

---

## QUESTION 2

Which is a valid policy simulation types in ClearPass? (Select three.)

- A. Enforcement Policy
- B. Posture token derivation
- C. Role Mapping
- D. Endpoint Profiler
- E. Chained simulation

Correct Answer: ACE

---

## QUESTION 3

Which protocol do Mobility Controllers (MCs) use to detect a failed Mobility Master (MM)?

- A. VRRP
- B. SNMP
- C. PAPI
- D. IPSec

Correct Answer: B

---

## QUESTION 4

Refer to the exhibit.

Configuration » Enforcement » Profiles » Add Enforcement Profile

## Enforcement Profiles

Profile	Attributes	Summary									
	<table border="1"><thead><tr><th>Type</th><th>Name</th><th>Value</th></tr></thead><tbody><tr><td>1. Radius:IETF</td><td>Session-Timeout (27)</td><td>= 600</td></tr><tr><td>2. Click to add...</td><td></td><td></td></tr></tbody></table>	Type	Name	Value	1. Radius:IETF	Session-Timeout (27)	= 600	2. Click to add...			
Type	Name	Value									
1. Radius:IETF	Session-Timeout (27)	= 600									
2. Click to add...											

Exhibit:accp67-445

An Enforcement Profile has been created in the Policy Manager as shown. Which action will ClearPass take based on this Enforcement Profile?

- A. ClearPass will count down 600 seconds and send a RADIUS CoA message to the user to end the user's session after this time is up.
- B. ClearPass will send the Session-Timeout attribute in the RADIUS Access-Accept packet to the NAD and the NAD will end the user's session after 600 seconds.
- C. ClearPass will count down 600 seconds and send a RADIUS CoA message to the NAD to end the user's session after this time is up.
- D. ClearPass will send the Session-Timeout attribute in the RADIUS Access-Request packet to the NAD and the NAD will end the user's session after 600 seconds.
- E. ClearPass will send the Session-Timeout attribute in the RADIUS Access-Accept packet to the User and the user's session will be terminated after 600 seconds.

Correct Answer: B

### QUESTION 5

Refer to the exhibit.

Identity	
These options control the generation of device credentials	
* Certificate Authority:	Local Certificate Authority <small>Select the certificate authority that will be used to sign profiles and messages.</small>
* Signer:	Onboard Certificate Authority <small>Select the source that will be used to sign TLS client certificates.</small>
* Key Type:	1024-bit RSA – created by device <small>Select the type of private key to use for TLS certificates.</small>
* Unique Device Credentials:	<input checked="" type="checkbox"/> Include the username in unique device credentials <small>When checked, the username is prefixed to the device's PEAP credentials. This unique set of credentials is used to identify the user and device on the network.</small>

Exhibit:accp67-531

Based on the configuration for the client's certificate private key as shown, which statements accurately describe the settings? (Select two.)

- A. More bits in the private key will increase security.

- B. The private key for TLS client certificates is not created.
- C. The private key is stored in the ClearPass server.
- D. More bits in the private key will reduce security.
- E. The private key is stored in the user device.

Correct Answer: AE

[Latest HPE6-A75 Dumps](#)

[HPE6-A75 Study Guide](#)

[HPE6-A75 Braindumps](#)