

## HPE6-A78<sup>Q&As</sup>

Aruba Certified Network Security Associate

**Pass HP HPE6-A78 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a78.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are managing an Aruba Mobility Controller (MC). What is a reason for adding a "Log Settings" definition in the ArubaOS Diagnostics > System > Log Settings page?

- A. Configuring the Syslog server settings for the server to which the MC forwards logs for a particular category and level
- B. Configuring the MC to generate logs for a particular event category and level, but only for a specific user or AP.
- C. Configuring a filter that you can apply to a defined Syslog server in order to filter events by subcategory
- D. Configuring the log facility and log format that the MC will use for forwarding logs to all Syslog servers

Correct Answer: A

---

**QUESTION 2**

What is one way a noneypot can be used to launch a man-in-the-middle (MITM) attack to wireless clients?


- A. it uses a combination of software and hardware to jam the RF band and prevent the client from connecting to any wireless networks
- B. it runs an NMap scan on the wireless client to find the client's MAC and IP address. The hacker then connects to another network and spoofs those addresses.
- C. it examines wireless clients' probes and broadcasts the SSIDs in the probes, so that wireless clients will connect to it automatically.
- D. it uses ARP poisoning to disconnect wireless clients from the legitimate wireless network and force clients to connect to the hacker's wireless network instead.

Correct Answer: D

---

**QUESTION 3**

Refer to the exhibit, which shows the current network topology.



You are deploying a new wireless solution with an Aruba Mobility Master (MM), Aruba Mobility Controllers (MCs), and campus APs (CAPs). The solution will include a WLAN that uses Tunnel for the forwarding mode and implements WPA3-Enterprise security.

What is a guideline for setting up the vlan for wireless devices connected to the WLAN?

- A. Assign the WLAN to a single new VLAN which is dedicated to wireless users
- B. Use wireless user roles to assign the devices to different VLANs in the 100-150 range
- C. Assign the WLAN to a named VLAN which specified 100-150 as the range of IDs.
- D. Use wireless user roles to assign the devices to a range of new vlan IDs.

Correct Answer: B

**QUESTION 4**

What is one way that WPA3-PerSonal enhances security when compared to WPA2- Personal?

- A. WPA3-Perscn3i is more secure against password leaking Because all users have their own username and password
- B. WPA3-Personai prevents eavesdropping on other users' wireless traffic by a user who knows the passphrase for the WLAN.
- C. WPA3-Personai is more resistant to passphrase cracking Because it requires passphrases to be at least 12 characters
- D. WPA3-Personal is more complicated to deploy because it requires a backend authentication server

Correct Answer: A

---

## QUESTION 5

What is a benefit of Protected Management Frames (PMF), sometimes called Management Frame Protection (MFP)?

- A. PMF helps to protect APs and MCs from unauthorized management access by hackers.
- B. PMF ensures that traffic between APs and Mobility Controllers (MCs) is encrypted.
- C. PMF prevents hackers from capturing the traffic between APs and Mobility Controllers.
- D. PMF protects clients from DoS attacks based on forged de-authentication frames

Correct Answer: A

[Latest HPE6-A78 Dumps](#)

[HPE6-A78 Practice Test](#)

[HPE6-A78 Exam Questions](#)