

HPE6-A82^{Q&As}

HPE Sales Certified - Aruba Products and Solutions

Pass HP HPE6-A82 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a82.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When joining ClearPass to an Active Directory (AD) domain, what information is required? (Choose two.)

- A. Fully Qualified Domain Name (FQDN) of the AD Domain Controller.
- B. ClearPass Policy Manager (CPPM) enterprise credentials.
- C. Domain Administrator credentials with at least read access.
- D. Cache Timeout value set to at least 10 hours.
- E. Domain User credentials with read-write access.

Correct Answer: AC

QUESTION 2

Refer to the exhibit.

Service One

Service Rule

Matches ANY or ALL of the following conditions:

	Type	Name	Operator	Value	
1.	Radius:IETF	NAS-Port-Type	EQUALS	Ethernet (15)	
2.	Radius:IETF	Service-Type	BELONGS_TO	Login-User (1), Framed-User (2), Authenticate-Only (8)	
3.	Connection	SSID	EQUALS	Secure-Corporate	

Service Two

Service Rule

Matches ANY or ALL of the following conditions:

	Type	Name	Operator	Value	
1.	Radius:IETF	NAS-Port-Type	EQUALS	Wireless-802.11(19)	
2.	Radius:IETF	Service-Type	BELONGS_TO	Login-User (1), Framed-User (2), Authenticate-Only (8)	
3.	Connection	SSID	EQUALS	secure-corporate	

Service Three

Service Rule

Matches ANY or ALL of the following conditions:

	Type	Name	Operator	Value	
1.	Radius:IETF	NAS-Port-Type	EQUALS	Wireless-802.11(19)	
2.	Radius:IETF	Service-Type	BELONGS_TO	Login-User (1), Framed-User (2), Authenticate-Only (8)	
3.	Connection	Client-Mac-Adress	NOT_EQUALS	%{Radius:IETF:User-Name}	

A user connects to an Aruba Access Point wireless SSID named "Secure-Corporate" and performs an 802.1X authentication with ClearPass as the authentication server.

Based on this service configuration, which service will be triggered?

- A. No service will be triggered
- B. Service Three
- C. Service Two
- D. Service One

Correct Answer: B

QUESTION 3

Which must be taken into account if a customer wants to use the DHCP collector with 802.1X authentication?

- A. When a client sends an authentication request to ClearPass, the profiler will also gather DHCP information.
- B. Because DHCP fingerprinting is a Layer-3 function, it cannot be used with an 802.1X authentication service.
- C. The client needs to connect to an open network first to be profiled, then shifted to the secure 802.1x network.
- D. The client needs to be granted limited access before the enforcement policy can take into account the device type.

Correct Answer: A

QUESTION 4

What is RADIUS Change of Authorization (CoA)?

- A. It is a mechanism that enables ClearPass to assign a User-Based Tunnel (UBT) between a switch and controller for Dynamic Segmentation.
- B. It allows clients to issue a privilege escalation request to ClearPass using RADIUS to switch to TACACS+.
- C. It allows ClearPass to transmit messages to the Network Attached Device/Network Attached Server (NAD/NAS) to modify a user's session status.
- D. It forces the client to re-authenticate upon roaming to an access point controlled by a foreign mobility controller.

Correct Answer: C

QUESTION 5

Which authentication method requires a client certificate?

- A. EAP-TLS
- B. Guest self-registration
- C. PEAP
- D. MAC Authentication

Correct Answer: A

[HPE6-A82 PDF Dumps](#)

[HPE6-A82 VCE Dumps](#)

[HPE6-A82 Exam Questions](#)