

## I10-001<sup>Q&As</sup>

XML Master Basic V2

### Pass XML Master I10-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/i10-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by XML Master  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Select which of the following is a well-formed XML document.

- A. This is Linda speaking.
- B. Linda This is Linda speaking.
- C.
- D. This is Linda speaking. W Courier Newlr Z

Correct Answer: A

---

## QUESTION 2

Select which of the following methods can be used when using a single quote (\') in an attribute value.

- A. Use a double quotation mark (") to enclose the attributes value.
- B. Use the entity reference andapos; to represent the single quote in the attribute value.
- C. Use a Unicode character code (0x0027) for a single quote (\') and enclose the section with the character reference "and#x27;".
- D. Any of the above. W Courier Newlr Z

Correct Answer: D

---

## QUESTION 3

Select the answer that correctly identifies an element in the "XML Document" below.

[XML Documents]

ijklmno

- A.
- B. def="ghi"
- C. abc
- D. jklmno
- E. jklmnoW Courier Newlr Z

Correct Answer: D

---

## QUESTION 4

Select which of the following correctly describes elements/attributes that do not belong to namespace

"urn:sample:exam" in the XML document below.

[XML Documents]

Content

- A. attribute1 and attribute2
- B. element2 and element3
- C. element2 element3 and attribute2
- D. element2 element3 attribute1 and attribute2

Correct Answer: A

---

## QUESTION 5

Press the Exhibit button to view the XML document "a. xml" and apply XSLT stylesheet "b. xsl" to "a. xml" and output "10075" as the transformation result. Select which of the following correctly belongs in (1) of the "b. xsl".

- A. count[01]
- B. count[position()]
- C. count[position()=1]