I10-002^{Q&As}

XML Master: Professional V2

Pass XML Master I10-002 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/i10-002.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by XML Master
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



2024 Latest leads4pass I10-002 PDF and VCE dumps Download

QUESTION 1

When receiving an XML document following the DTD defined by NewsML (portions modified for this question), the document is processed via SAX programming.

```
[DTD]
<!ENTITY % localid " Duid ID
                                  #IMPLIED
                     Euid CDATA
                                  #IMPLIED">
<!ELEMENT NewsIdentifier
                           (NewsItemId ,
RevisionId) >
<!ELEMENT NewsItemId
                       (#PCDATA) >
<!ELEMENT RevisionId
                       (#PCDATA) >
<!ATTLIST RevisionId
                      Update CDATA #REQUIRED >
<!ELEMENT Identification
                           (NewsIdentifier)>
<!ATTLIST Identification
                          %localid; >
<!ELEMENT NewsItem
                    (Identification)>
<!ELEMENT NewsML (NewsItem+)>
```

Push the Exhibit Button to load the referenced "DTD". When processing the following "XML Document" according to the method shown by "SAX Processing," which of the following correctly describes the output results (print method output)? Note that the attribute value is not output for this question.

```
[XML Document]
The root element name (document element name) is "NewsML".

The XML document follows the "DTD" definition.

The XML Document has no document type declaration.

The XML Document is comprised of elements, attributes and character data; comments and CDATA secions, etc. are not included.
The XML Document is indented, and includes ignorable white spaces such as line feeds and tabs before the start-tags.
[SAX Processing]
      the following "ContentHandlerImpl" class, and parse the XML Document using SAX.
Assume no execution errors.
class ContentHandlerImpl extends DefaultHandler {
   private String elementName = "";
   private String elementName
  public void startElement(
String namespaceURI, String localName, String qName, Attributes atts)
     elementName = gName;
   public void endElement (
     String namespaceURI, String localName, String qName) throws SAXException ( elementName = "";
   public void characters(char[] ch, int start, int length)
        throws SAXException (
( elementName.equals("") == false )
        System.out.print(new String(ch, start, length));
  }
```

- A. All character data of elements can be output, ignorable white spaces are not output
- B. All character data of elements can be output, and ignorable white spaces are also output
- C. A portion of character data of elements cannot be output
- D. No character data of elements can be output

Leads4Pass

https://www.leads4pass.com/i10-002.html

2024 Latest leads4pass I10-002 PDF and VCE dumps Download

Correct Answer: B

QUESTION 2

Which of the following correctly explains SOAP (SOAP 1.1) and schema?

- A. By including a document type declaration in the SOAP message, you can perform a validation check on the XML Documentincluded in the SOAP Body element
- B. You cannot perform a validation check on the XML Document included in the SOAP Body element
- C. An XML Document encoded according to the encoding method (SOAP Encoding) defined under the SOAP 1.1 specification canonly be validated against W3C XML Schema
- D. A SOAP message cannot include a DTD; however, other XML coded Schema Documents can be included as a part of the XML

Correct Answer: D

QUESTION 3

Which of the following is incorrect with respect to XML?

- A. An XML document features high data readability
- B. An XML document can be transmitted over general-use protocols such as HTTP and SMTP
- C. XML is designed with the ideal structure for storage in an RDB (relational database)
- D. Some RDBs (relational databases) can output results data in XML format

Correct Answer: C

QUESTION 4

Under the SAX specification, which of the following is a method for determining whether to validate a document with the SAX parser?

- A. Use the getFeature method of XMLReader interface to look up the feature value under the name "http://xml.org/sax/features/validation"
- B. Use the parse method of XMLReader interface to investigate whether an error occurs
- C. Use the parseWithValidating method of XMLReader interface
- D. Use the isValidatingParser method of XMLReader interface

Correct Answer: A



QUESTION 5

Push the Exhibit Button to load the referenced "XSLT Style Sheet".

```
[XSLT Style Sheet]
<xsl:stylesheet version="1.0"</pre>
xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
       xmlns:pre="http://schemas.xmlsoap.org/soap/e
pe/"
       exclude-result-prefixes="pre">
   <xsl:template match="/ | pre:*">
      <xsl:copy>
         <xsl:apply-templates select="pre:*"/>
      </xsl:copy>
   </xsl:template>
   <xs1:template match="pre:Body">
      <xsl:copy-of</pre>
select="document('sample.xml')"/>
   </xsl:template>
</xsl:stylesheet>
```

Select which of the following correctly describes the output results of an XSLT transformation of the following "XML Document" using the "XSLT Style Sheet". Assume that the XSLT processor can load "sample.xml" normally, and output transformation results as a document. Line feeds and indents are not reflected. Although the expected processing result is choice "E", processing may not occur as expected.

Α.

В.

C. XML MASTER

D. XML MASTER

E. XML MASTER

Correct Answer: D

110-002 PDF Dumps

I10-002 Practice Test

110-002 Study Guide