

## JN0-103<sup>Q&As</sup>

Junos - Associate (JNCIA-Junos)

### Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-103.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When multiple users are editing the configuration on a Junos device, what is the default behavior when a user issues a commit command?

- A. All valid configuration changes made by all users will take effect.
- B. The user's configuration changes are committed; other users' configuration changes are still pending.
- C. The user will receive an error message disallowing a commit of the configuration.
- D. The user's configuration changes are committed; other users will be exited from configuration mode.

Correct Answer: B

---

**QUESTION 2**

Which two statements about subnet masks are true? (Choose two.)

- A. If a bit is turned on (1), the corresponding bit in the IP address is used for the host portion.
- B. If a bit is turned off (0), the corresponding bit in the IP address is used for the host portion.
- C. If a bit is turned on (1), the corresponding bit in the IP address is used for the network prefix.
- D. If a bit is turned off (0), the corresponding bit in the IP address is used for the network prefix.

Correct Answer: BC

---

**QUESTION 3**

```
user@router> show interfaces terse | match ge-
ge-0/0/0          up      up
ge-0/0/1          up      up
ge-0/0/1.0        up      up      inet      172.26.133.105/24
ge-0/0/2          up      up
ge-0/0/2.0        down    up      inet      172.40.1.2/24
```

Referring to the exhibit, which logical interface is able to forward IP traffic?

- A. ge-0/0/2.0
- B. ge-0/0/0
- C. ge-0/0/1.0
- D. ge-0/0/2

Correct Answer: A

---

#### QUESTION 4

Which routing table is used for multicasting forwarding cache?

- A. Inet.3
- B. Inet.0
- C. Inet.1
- D. Inet.2

Correct Answer: C

---

#### QUESTION 5

What does the output of the show route forwarding-table command display?

- A. the Packet Forwarding Engine's routing table
- B. the inactive entries in the Routing Engine's routing table
- C. the routing protocol databases in the Routing Engine
- D. the Routing Engine's forwarding table

Correct Answer: A

[JN0-103 PDF Dumps](#)

[JN0-103 VCE Dumps](#)

[JN0-103 Braindumps](#)