

JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/jn0-103.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which two statements describe a routing policy? (Choose two.)

- A. Attribute changes applied to export policies always affect the local routing table.
- B. Routing policies are used to choose which routes are sent to neighbors using dynamic routing protocols.
- C. Active and inactive routes are available for export from the routing table.
- D. A routing policy allows you to control the flow of information into the routing table.

Correct Answer: BD

QUESTION 2

What is the purpose of the discard action of a firewall filter?

- A. The system silently drops the packet.
- B. The system evaluates the next term in the policy.
- C. The system drops the packet and logs the entry.
- D. The system drops the packet and sends an ICMP message.

Correct Answer: A

QUESTION 3

What happens when a route does not match any user-configured policies?

- A. The route is rejected.
- B. The route is accepted.
- C. The route is given a lower priority.
- D. The route is sent to the default policy.

Correct Answer: D

QUESTION 4

Which two statements about subnet masks are true? (Choose two.)

- A. If a bit is turned on (1), the corresponding bit in the IP address is used for the host portion.
- B. If a bit is turned off (0), the corresponding bit in the IP address is used for the host portion.



https://www.leads4pass.com/jn0-103.html

2024 Latest leads4pass JN0-103 PDF and VCE dumps Download

- C. If a bit is turned on (1), the corresponding bit in the IP address is used for the network prefix.
- D. If a bit is turned off (0), the corresponding bit in the IP address is used for the network prefix.

Correct Answer: BC

QUESTION 5

You are in configuration mode at the top of the hierarchy. How would you save your configuration to a file on the router?

- A. save configuration
- B. save config
- C. save
- D. save run

Correct Answer: C

Latest JN0-103 Dumps

JN0-103 Practice Test

JN0-103 Braindumps