# JN0-1301<sup>Q&As</sup>

Data Center Design, Specialist (JNCDS-DC)

### Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/jn0-1301.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass


800,000+ Satisfied Customers



## Leads4Pass

### **QUESTION 1**

Click the Exhibit button. Traffic congestion is noticed when sending traffic from S1 to S2. You must design a CoS deployment to address the traffic congestion issue. Referring to the exhibit, which two statements are true? (Choose two.)



- A. You should use BA classifiers on R1.
- B. You should use multifield classifiers on R2, R3, and R4.
- C. You should use multifield classifiers on R1.
- D. You should use BA classifiers on R2, R3, and R4.

Correct Answer: AB

### **QUESTION 2**

What is a characteristic of VRRP?

- A. VRRP routers must communicate over a direct connection.
- B. VRRP participating routers all act as active gateways.
- C. VRRP provides high availability for a host\\'s default gateway.

### Leads4Pass

D. VRRP routes must communicate over a common switch.

Correct Answer: C

#### **QUESTION 3**

You are creating a design proposal and deciding whether to use 10 GbE copper or 10GbE fiber cabling to connect your ToR switches to the servers.

Which statement is correct regarding this scenario?


- A. Fiber has a lower power consumption on a per-port basis.
- B. Copper cabling requires special transceivers for different speeds.
- C. Fiber is much cheaper to purchase but has a higher long-term cost.
- D. Copper will allow you to reach the greatest distance between devices.

#### Correct Answer: A

### **QUESTION 4**

Click the Exhibit button.

Traffic congestion has been noticed when S1 is sending traffic to S2. You must design a CoS deployment to address the traffic congestion issue. Referring to the exhibit, which statement is true?



- A. You should deploy CoS on R1 and R4.
- B. You should deploy CoS on R1, R3 and R4.
- C. You should deploy CoS on S1, R1, R2, R3, R4, and S2.
- D. You should deploy CoS on R1, R2, R3, and R4.

Correct Answer: D

### **QUESTION 5**

Which two statements are true about IP fabrics? (Choose two.)

- A. IP-based applications do not require an overlay network to maintain connectivity.
- B. Applications that require security needs an overlay to provide the security.
- C. Applications that require Layer 2 adjacencies require an overlay network to maintain connectivity.
- D. IP fabrics can natively support both Layer 2 and Layer 3 applications.

Correct Answer: CD

```
JN0-1301 PDF Dumps
```

JN0-1301 Exam Questions

JN0-1301 Braindumps