

JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Your customer is getting ready to deploy a new WAN architecture. It must be simple to set up, address hub scaling concerns, and allow the automatic addition of new sites without requiring changes to the hub site. They want to deploy either AutoVPN or Auto Discovery VPN.

In this scenario, why would you propose Auto Discovery VPN as a solution?

- A. Your customer requires direct spoke-to-spoke communication
- B. OSPF support is required
- C. Only Auto Discovery VPN supports the automatic addition of valid spokes
- D. Your customer needs to configure the hub site only once

Correct Answer: A

QUESTION 2

You are concerned about users attacking the publicly accessible servers in your data center through encrypted channels. You want to block these attacks using your SRX Series devices.

In this scenario, which two features should you use? (Choose two.)

- A. Sky ATP
- B. IPS
- C. SSL forward proxy
- D. SSL reverse proxy

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-ssltls.html

QUESTION 3

You have a site that has two Internet connections but no switch on the outside of the firewall. You want to use ISP-A over ISP-B during normal operations.

Which type of chassis cluster design would you propose to satisfy this requirement?

- A. Propose active/active cluster deployment with separate redundancy groups
- B. Propose active/passive cluster deployment with separate redundancy groups
- C. Propose active/active cluster deployment without separate redundancy groups
- D. Propose active/passive cluster deployment without separate redundancy groups

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/chassis-cluster-srx-active-active-configuring.html

QUESTION 4

You are using SRX Series devices to secure your network and you require sandboxing for malicious file detonation. However, per company policy, you cannot send potentially malicious files outside your network for sandboxing.

Which feature should you use in this situation?

- A. Sky ATP
- B. UTM antivirus
- C. IPS
- D. JATP

Correct Answer: D

Juniper Advanced Threat Prevention Appliance Reference: <https://www.juniper.net/us/en/products-services/security/srx-series/datasheets/1000654.page>

QUESTION 5

You are asked to design a VPN solution between 25 branches of a company. The company wants to have the sites talk directly to each other in the event of a hub device failure. The solution should follow industry standards.

Which solution would you choose in this scenario?

- A. AutoVPN
- B. Auto Discovery VPN
- C. Group VPN
- D. full mesh VPN

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

[JN0-1331 PDF Dumps](#)

[JN0-1331 VCE Dumps](#)

[JN0-1331 Exam Questions](#)