JN0-1332 ^{Q&As}

Security Design Specialist (JNCDS-SEC)

Pass Juniper JN0-1332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/jn0-1332.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You want to deploy JATP in your network that uses SRX Series devices.

In this scenario, which feature must you enable on the SRX Series devices?

A. SSL forward proxy

B. AppSecure

C. UTM antivirus

D. IPS

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/jatp/topics/concept/jatpsrx-integration-getting-started.html

QUESTION 2

You will be managing 1000 SRX Series devices. Each SRX Series device requires basic source NAT to access the Internet.

Which product should you use to manage these NAT rules on the SRX Series devices?

A. Security Director

B. CSO

C. Contrail

D. JSA

Correct Answer: A

QUESTION 3

Click the Exhibit button.

You are designing the virtualized server deployment shown in the exhibit in your data center. The vSRX device is acting as a Layer 2 firewall and the two VMs must communicate through the vSRX device.

Which two actions must you perform to accomplish this task? (Choose two.)

A. Place both VMs in the same vSwitch

B. Place both VMs in the same VLAN

C. Place both VMs in different vSwitches

D. Place both VMs in different VLANs

Correct Answer: BC

QUESTION 4

You are designing a data center interconnect between two sites across a service provider Layer 2 leased line. The sites require Layer 2 connectivity between hosts, and the connection must be secure.

In this scenario, what will accomplish this task?

A. IRB VLAN routing

B. MACsec encryption

C. EVPN over IPsec

D. IPsec encryption

Correct Answer: B

Reference:

https://www.juniper.net/documentation/en_US/junos/topics/concept/macsec.html

QUESTION 5

You are creating a data center security design. Virtual security functions must be performed on east-west traffic. Security functions must be commissioned and decommissioned frequently, and the least resource-intensive architecture must be used.

In this scenario, what will accomplish this task?

A. all-in-one NFV security devices with device templates

B. service chaining with container-based security functions

C. a security appliance segmented into logical systems

D. filter-based forwarding to direct traffic to the required security devices

Correct Answer: A

[JN0-1332 VCE Dumps](#)   [JN0-1332 Study Guide](#)   [JN0-1332 Braindumps](#)