

JN0-1361^{Q&As}

Service Provider Design Specialist (JNCDS-SP)

Pass Juniper JN0-1361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-1361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are three components of a class-of-service scheduler? (Choose three.)

- A. transmit rate
- B. forwarding class
- C. queue priority
- D. delay buffer size
- E. policing rate

Correct Answer: ACD

Junos OS schedulers allow you to define the priority, bandwidth, delay buffer size, rate control status, and RED drop profiles to be applied to a particular queue for packet transmission

QUESTION 2

You are designing a service provider core network. As part of the design, you must ensure that the MPLS network utilizes the traffic engineering database (TED) for path selection and resiliency. You have chosen OSPF as the IGP for your design.

In this scenario which statement is correct?

- A. You must enable traffic engineering in OSPF to populate the TED.
- B. OSPF cannot be used to populate the TED.
- C. You must disable traffic engineering in OSPF to use the TED.
- D. OSPF populates the TED by default.

Correct Answer: A

https://www.juniper.net/documentation/en_US/junos/topics/example/ospf-traffic-engineeringenabling.html

QUESTION 3

You are designing a new SDN WAN solution for a large enterprise MPLS backbone. The existing customer network has some LSPs in place that were manually provisioned. The customer requires that the solution provide for complete LSP life cycle management. You are considering the NorthStar Controller as part of the design. Which two LSP types would be managed in this scenario? (Choose two)

- A. PCC administered
- B. PCE administered

C. PCE controlled

D. PCE delegated

Correct Answer: AC

QUESTION 4

Your customer wants to use NorthStar to communicate with network devices and acquire the MPLS topology. Which protocol is recommended for this purpose?

A. PIM-SSM

B. OSPF

C. BGP-LS

D. ISIS

Correct Answer: C

QUESTION 5

You are asked to prepare a design proposal for a new enterprise customer. You must ensure that all traffic is routed through and inspected by an SRX Series device located at the corporate headquarters. In this scenario which solution should be used?

A. Use a full mesh SD-WAN solution

B. Use a full mesh Layer 3 VPN solution

C. Use a Junos Fusion Enterprise solution

D. Use a hub-and-spoke Layer 3 VPN solution

Correct Answer: D

[JN0-1361 VCE Dumps](#)

[JN0-1361 Study Guide](#)

[JN0-1361 Exam Questions](#)