

## JN0-221<sup>Q&As</sup>

Automation and DevOps, Associate

### Pass Juniper JN0-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which two statements about Ansible are true? (Choose two.)

- A. Ansible modules only execute a change if required
- B. By default, Ansible core modules use NETCONF to connect to the remote host
- C. By default, Ansible playbooks are executed locally
- D. Ansible uses an agentless architecture

Correct Answer: BD

Reference: [https://www.juniper.net/documentation/en\\_US/junos-ansible/topics/concept/junos-ansibleoverview.html#:~:text=Ansible%20uses%20an%20agentless%20architecture,software%20on%20the%20managed%20nodes.andtext=Thus%20Ansible%20users%20can%20get,of%20Python%20to%20use%20Ansible](https://www.juniper.net/documentation/en_US/junos-ansible/topics/concept/junos-ansibleoverview.html#:~:text=Ansible%20uses%20an%20agentless%20architecture,software%20on%20the%20managed%20nodes.andtext=Thus%20Ansible%20users%20can%20get,of%20Python%20to%20use%20Ansible)

---

## QUESTION 2

Which two statements about Junos PyEZ RPC(s) are correct? (Choose two.)

- A. PyEZ RPCs return XML data
- B. PyEZ RPCs can be used to view only the interface configuration
- C. PyEZ RPCs can be used to view the active device configuration
- D. PyEZ RPCs return CSV data

Correct Answer: AB

---

## QUESTION 3

Click the Exhibit button.

```
<rpc-reply xmlns:junos="http://xml.juniper.net/junos/20.1R0/junos">
  <configuration junos:commit-seconds="1580766004" junos:commit-localtime="2020-02-03 21:40:04 UTC"
  junos:commit-user="lab">
    <interfaces>
      <interface>
        <name>fxp0</name>
        <unit>
          <name>0</name>
          <family>
            <inet>
              <address>
                <name>172.25.11.1/24</name>
              </address>
            </inet>
          </family>
        </unit>
      </interface>
    </interfaces>
  </configuration>
</rpc-reply>
```

In the XML output shown in the exhibit, what is the full XPath for the IP address of the interface?

- A. /interface/unit/family/inet/address
- B. /configuration/interface/unit/family/inet/address
- C. /configuration/interfaces/interface/unit/family/inet/address/name
- D. /interfaces/interface/unit/family/inet/address

Correct Answer: C

---

#### QUESTION 4

Which XML shorthand notation is used when no data exists between tags?

- A.
- B.
- C.
- D.

Correct Answer: A

---

#### QUESTION 5

You are using the curl tool to include multiple RPCs in a REST API request.

Which HTTP method must be used for this request?

- A. GET

B. PUT

C. POST

D. HEAD

Correct Answer: AC

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/example/rest-api-explorereexample.html](https://www.juniper.net/documentation/en_US/junos/topics/example/rest-api-explorereexample.html)

[Latest JN0-221 Dumps](#)

[JN0-221 PDF Dumps](#)

[JN0-221 VCE Dumps](#)