

JN0-230^{Q&As}

Security-Associate (JNCIA-SEC)

Pass Juniper JN0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statements is correct about SKY ATP?

- A. Sky ATP is an open-source security solution.
- B. Sky ATP is used to automatically push out changes to the AppSecure suite.
- C. Sky ATP only support sending threat feeds to vSRX Series devices
- D. Sky ATP is a cloud-based security threat analyzer that performs multiple tasks

Correct Answer: D

QUESTION 2

Which two match conditions would be used in both static NAT and destination NAT rule sets? (Choose two.)

- A. Destination zone
- B. Destination interface
- C. Source interface
- D. Source zone

Correct Answer: BD

QUESTION 3

You are concerned that unauthorized traffic is using non-standardized ports on your network. In this scenario, which type of security feature should you implement?

- A. Application firewall
- B. Sky ATP
- C. Firewall filters
- D. Zone-based policies

Correct Answer: A

QUESTION 4

What is the correct order of processing when configuring NAT rules and security policies?

- A. Policy lookup > source NAT > static NAT > destination NAT

- B. Source NAT > static NAT > destination NAT > policy lookup
- C. Static NAT > destination NAT > policy lookup > source NAT
- D. Destination NAT > policy lookup > source NAT > static NAT

Correct Answer: C

QUESTION 5

You verify that the SSH service is configured correctly on your SRX Series device, yet administrators attempting to connect through a revenue port are not able to connect. In this scenario, what must be configured to solve this problem?

- A. A security policy allowing SSH traffic.
- B. A host-inbound-traffic setting on the incoming zone
- C. An MTU value target than the default value
- D. A screen on the internal interface

Correct Answer: B

[JN0-230 Practice Test](#)

[JN0-230 Study Guide](#)

[JN0-230 Braindumps](#)