

## JN0-250<sup>Q&As</sup>

Mist AI, Associate (JNCIA-MistAI)

### Pass Juniper JN0-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-250.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which statement is correct about the Mist API?

- A. Only SLE configurations are available from the API.
- B. Only AP configurations are available from the API.
- C. Everything seen in the GUI is available from the API.
- D. Nothing seen in the GUI is available from the API.

Correct Answer: B

---

## QUESTION 2

You are designing a wireless network that requires smooth roaming performance and redundant coverage from at least two access points at every location.

What ensures that both of these functional requirements are satisfied?

- A. co-channel interference
- B. secondary coverage
- C. primary coverage
- D. data rate

Correct Answer: D

---

## QUESTION 3

In a standard roam from one access point to another access point, what makes the decision to roam?

- A. the controller
- B. the access point
- C. the client device
- D. the cloud

Correct Answer: C

---

## QUESTION 4

You are configuring your Mist network and you want to separate certain users into their own networks and VLANs. You are concerned about the network's utilization and want to make sure that only a single SSID is sending beacons.

In this scenario, which feature would accomplish this behavior?

- A. geofence
- B. multiple PSK
- C. virtual SSID
- D. SSID scheduling

Correct Answer: D

---

## QUESTION 5

Under ideal conditions, which frequency band will have the farthest usable range?

- A. 900 MHz
- B. 2.4 GHz
- C. 5 GHz
- D. 6 GHz

Correct Answer: B

[Latest JN0-250 Dumps](#)

[JN0-250 Practice Test](#)

[JN0-250 Braindumps](#)