

JN0-332^{Q&As}

Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

Pass Juniper JN0-332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statement is true regarding proxy ARP?

- A. Proxy ARP is enabled by default on stand-alone JUNOS security devices.
- B. Proxy ARP is enabled by default on chassis clusters.
- C. JUNOS security devices can forward ARP requests to a remote device when proxy ARP is enabled.
- D. JUNOS security devices can reply to ARP requests intended for a remote device when proxy ARP is enabled.

Correct Answer: D

QUESTION 2

Which two actions occur during IKE Phase 1? (Choose two.)

- A. A secure channel is established between two peers.
- B. The proxy ID is used to identify which security association is referenced for the VPN.
- C. The Diffie-Hellman key exchange algorithm establishes a shared key for encryption.
- D. The security association is identified by a unique security parameter index value.

Correct Answer: AC

QUESTION 3

You want to silently drop HTTP traffic.

Which action will accomplish this task?

- A. `[edit security policies from-zone untrust to-zone trust policy drop-http] user@host# show match { source-address any; destination-address any; application junos-http; } then { deny; }`
- B. `[edit security policies from-zone untrust to-zone trust policy drop-http] user@host# show match { source-address any; destination-address any; application junos-http; } then { reject; }`
- C. `[edit security policies from-zone untrust to-zone trust policy drop-http] user@host# show match { source-address any; destination-address any; application junos-http; } then { block; }`
- D. `[edit security policies from-zone untrust to-zone trust policy drop-http] user@host# show match { source-address any; destination-address any; application junos-http; } then { terminate; }`

Correct Answer: A

QUESTION 4

Which two statements are true regarding firewall user authentication? (Choose two.)

- A. When configured for pass-through firewall user authentication, the user must first open a connection to the Junos security platform before connecting to a remote network resource.
- B. When configured for Web firewall user authentication only, the user must first open a connection to the Junos security platform before connecting to a remote network resource.
- C. If a Junos security device is configured for pass-through firewall user authentication, new sessions are automatically intercepted to perform authentication.
- D. If a Junos security device is configured for Web firewall user authentication, new sessions are automatically intercepted to perform authentication.

Correct Answer: BC

QUESTION 5

Which two statements are true for an active/active high availability configuration? (Choose two.)

- A. All configured interfaces are active on each node and processing traffic.
- B. The Routing Engines on the nodes work in a master/backup scenario and the master will determine which of the nodes the traffic will egress.
- C. The Routing Engines on both nodes are processing their own sessions and will send traffic managed by the other Routing Engine to that node through the data link.
- D. Interfaces work in an active/passive fashion and sessions are processed accordingly.

Correct Answer: AC

[JN0-332 PDF Dumps](#)

[JN0-332 Practice Test](#)

[JN0-332 Exam Questions](#)