

JN0-334^{Q&As}

Security-Specialist (JNCIS-SEC)

Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-334.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

After performing a software upgrade on an SRX5800 chassis cluster, you notice that node1 is in the primary state and node0 is in the backup state. Your network standards dictate that node0 should be in the primary state.

In this scenario, which command should be used to comply with the network standards?


- A. request chassis cluster failover redundancy-group 254 node 1
- B. request chassis cluster failover redundancy-group 0 node 0
- C. request chassis cluster failover redundancy-group 254 mode 0
- D. request chassis cluster failover redundancy-group 0 node 1

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-chassis-clusterredundancy-group-failover.html

QUESTION 2

Click the Exhibit button.



Referring to the exhibit, you want to deploy Sky ATP with Policy Enforcer to block infected hosts at the access layer.

To complete this task, where should you configure the default gateway for the User-1 device?

- A. the irb interface on QFX-2
- B. the irb interface on QFX-1
- C. the interface of QFX-1 that connects to User-1
- D. the interface on SRX-1 that connects to QFX-2

Correct Answer: B

QUESTION 3

What information does JIMS collect from domain event log sources? (Choose two.)

- A. For user login events, JIMS collects the username and group membership information.
- B. For device login events, JIMS collects the device IP address and operating system version.
- C. For device login events, JIMS collects the device IP address and machine name information.
- D. For user login events, JIMS collects the login source IP address and username information.

Correct Answer: CD

QUESTION 4

Which two protocols are supported for Sky ATP advanced anti-malware scanning? (Choose two.)

- A. POP3
- B. MAPI
- C. IMAP
- D. SMTP

Correct Answer: CD

QUESTION 5

Your network uses a remote e-mail server that is used to send and receive e-mails for your users. In this scenario, what

should you do to protect users from receiving malicious files through e-mail?

- A. Deploy Sky ATP IMAP e-mail protection
- B. Deploy Sky ATP MAPI e-mail protection
- C. Deploy Sky ATP SMTP e-mail protection
- D. Deploy Sky ATP POP3 e-mail protection

Correct Answer: C

[Latest JN0-334 Dumps](#)

[JN0-334 VCE Dumps](#)

[JN0-334 Exam Questions](#)