

JN0-334^{Q&As}

Security-Specialist (JNCIS-SEC)

Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-334.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statement describes the AppTrack module in AppSecure?

- A. The AppTrack module provides enforcement with the ability to block traffic, based on specific applications.
- B. The AppTrack module provides control by the routing of traffic, based on the application.
- C. The AppTrack module identifies the applications that are present in network traffic.
- D. The AppTrack module provides visibility and volumetric reporting of application usage on the network.

Correct Answer: C

QUESTION 2

Data plane logging operates in which two modes? (Choose two.)

- A. syslog
- B. binary
- C. event
- D. stream

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/system-logging-for-a-security-device.html

QUESTION 3

In an Active/Active chassis cluster deployment, which chassis cluster component is responsible for RG0 traffic?

- A. the backup routing engine of the primary node
- B. the master routing engine of the secondary node
- C. the primary node
- D. the secondary node

Correct Answer: C

QUESTION 4

You are deploying a vSRX into a vSphere environment which applies the configuration from a bootable ISO file containing the juniper.conf file. After the vSRX boots and has the configuration applied, you make additional device specific configuration changes, commit, and reboot the device. Once the device finishes rebooting, you notice the specific changes you made are missing but the original configuration is applied.

In this scenario, what is the problem?

- A. Configuration changes do not persist after reboots on vSRX.
- B. The juniper.conf file was not applied to the vSRX.
- C. The configuration file is corrupt.
- D. The ISO file is still mounted on the vSRX.

Correct Answer: D

Reference: <https://www.juniper.net/documentation/us/en/software/vsrx/vsrx-kvm/topics/task/security-vsrxkvm-bootstrap-config.html>

QUESTION 5

What are two examples of RTOs? (Choose two.)

- A. IPsec SA entries
- B. session table entries
- C. fabric link probes
- D. control link heartbeats

Correct Answer: CD