

JN0-343^{Q&As}

Juniper Networks Certified Internet Specialist (JNCIS-ENT)

Pass Juniper JN0-343 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-343.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

-- Exhibit -user@router> show ospf neighbor Address Interface State ID Pri Dead

66.129.12.2 ge-0/0/2.0 ExStart 66.129.12.2 128 37 -- Exhibit -What is the reason for the adjacency state shown in the exhibit?

- A. There is an authentication mismatch.
- B. There is a hello interval mismatch.
- C. There is an IP network mismatch.
- D. There is an interface MTU mismatch.

Correct Answer: D

QUESTION 2

Which Junos operational command displays all operational IS-IS neighbors?

- A. show isis interface
- B. show isis database
- C. show isis neighbors
- D. show isis adjacency

Correct Answer: D

QUESTION 3

Host-1 was recently added in the network and is attached to ge-0/0/10 on Switch A. Host-1 is powered on and has its interface configured with default Layer 2 settings and an IP address on the

172.17.12.0/24 IP subnet. Host-1's MAC address is not shown in Switch-A's bridging table.

What are three explanations for this state? (Choose three.)

- A. The ge-0/0/10 interface is not operationally or administratively up.
- B. The ge-0/0/10 interface has not received any traffic from Host-1.
- C. The ge-0/0/10 interface is configured as an access port.
- D. The ge-0/0/10 interface is configured as a trunk port.
- E. The ge-0/0/10 interface does not have an associated RVI.

Correct Answer: ABD

QUESTION 4

Which three OSPF LSA types are allowed in an NSSA? (Choose three.)

- A. Type 1
- B. Type 2
- C. Type 4
- D. Type 5
- E. Type 7

Correct Answer: ABE

QUESTION 5

You have created an IP-IP tunnel which will traverse interface at-0/1/0 and you would like to make sure that the tunnel is operational. Which operational-mode command should you use to verify that the IP-IP tunnel interface is up?

- A. show ip tunnels interfaces
- B. show interfaces at-0/1/0 terse
- C. show interfaces ip-0/0/0 terse
- D. show ip-0/0/0 interfaces terse

Correct Answer: C

[Latest JN0-343 Dumps](#)

[JN0-343 VCE Dumps](#)

[JN0-343 Braindumps](#)