

# JN0-347<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist (JNCIS-ENT)

## Pass Juniper JN0-347 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-347.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Click the Exhibit button.



You are unable to establish a BGP session between R2 and ISP-B. Referring to the exhibit, what must be changed in the configuration?

- A. A local address statement with the lo0 address must be added to R2 under group external-a;
- B. An import policy statement must be added to R2 under group external-a to allow ISP-B to peer.
- C. The type external statement must be added to R2 under group external-b.
- D. The peer-as statement needs the AS number for ISP-B.

Correct Answer: D

## QUESTION 2

What is the default route preference for BGP?


- A. 167
- B. 170
- C. 150
- D. 179

Correct Answer: B

BGP has the default preference .

**QUESTION 3**

Click the Exhibit button.



Referring to the exhibit, which path will traffic from R6 take to reach R1?

- A. R6 > R4 > R2 > R1
- B. R6 > R4 > R2 > R3 > R1
- C. R6 > R5 > R3 > R1
- D. R6 > R5 > R3 > R2 > R1

Correct Answer: A

**QUESTION 4**

Which three mechanisms are associated with the bridging process? (Choose three.)

- A. pruning
- B. listening
- C. learning
- D. filtering
- E. flooding

Correct Answer: CDE

---

## QUESTION 5

Which two statements are correct about aggregate routes in the Junos OS? (Choose two.)

- A. An active route can contribute only to a single aggregate route.
- B. Only one aggregate route can be configured for each destination prefix.
- C. An aggregate route has a default next hop of an IP address.
- D. An aggregate route always shows as active in the routing table.

Correct Answer: AB

A route can contribute only to a single aggregate route. You can configure only one aggregate route for each destination prefix.

[Latest JN0-347 Dumps](#)

[JN0-347 VCE Dumps](#)

[JN0-347 Braindumps](#)