

# JN0-347<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist (JNCIS-ENT)

# Pass Juniper JN0-347 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/jn0-347.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





# **QUESTION 1**

What is reviewed first in the BGP route selection process?

- A. the peer with the lowest IP address
- B. the route with an origin of incomplete
- C. the path with no MED value
- D. the next-hop resolution

Correct Answer: D

#### **QUESTION 2**

Which two statements are true about nonstop bridging (NSB)? (Choose two.)

- A. NSB does not require all participating Routing Engines to run the same version of the Junos OS.
- B. NSB can be enabled under the protocols layer2-control hierarchy.
- C. NSB requires you to configure graceful Routing Engine switchover (GRES).
- D. NSB does not require you to configure graceful Routing Engine switchover (GRES).

Correct Answer: BC

### **QUESTION 3**

Click the Exhibit button.


Referring to the exhibit, which statement is correct?

- A. 10.20.20.1 will be the active next hop.
- B. 10.30.30.1 will be the active next hop.
- C. Packets will be load balanced.
- D. Next hops 10.20.20.1 and 10.30.30.1 will both be active.

Correct Answer: A

# **QUESTION 4**

Referring to the configuration shown in the exhibit, which statement is true?



- A. RP2 stops sending all SA messages to its peer.
- B. RP1 stops sending all SA messages to its peer.
- C. RP2 stops sending SA messages for the group 224.7.7.7 from source 192.168.100.10 to RP1.
- D. RP1 stops sending SA messages for the group 224.7.7.7 from source 192.168.100.10 to RP2.

Correct Answer: C

# **QUESTION 5**

Which two statements describe the BGP Local Preference attribute? (Choose two.)

- A. The attribute can be altered through a BGP configuration or using a policy.
- B. The attribute is transmitted across EBGP links.
- C. The attribute can be given a higher preference by configuring a lower numerical value.
- D. The attribute can be used to direct all outbound traffic through a specific peer.

Correct Answer: AD

JN0-347 Practice Test

JN0-347 Exam Questions

JN0-347 Braindumps