

JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-349.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
user@router> show ospf neighbor
```

Address	Interface	State	ID	Pri
Dead				
172.16.248.214	xe-0/0/2.0	2-Way	172.16.248.14	128
39				

Referring to the exhibit, which statement is correct?

- A. The router is acting as the DR.
- B. The router is acting as the BDR.
- C. The router is acting as a DROther.
- D. The router is not able to establish an adjacency.

Correct Answer: C

QUESTION 2

A BGP session shows the state as active.

What does the state indicate in this scenario?

- A. A keepalive message has been received.
- B. The BGP session is fully established and routes are being passed.
- C. The TCP connection is successful, and BGP is waiting for the OPEN message from its peer.
- D. The routes are still trying to establish a TCP connection.

Correct Answer: D

QUESTION 3

Click the Exhibit button.

```

user@host> show ospf database
  OSPF database, Area 0.0.0.0
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Router    *192.168.1.2  192.168.1.2  0x8000000c  1387 0x22 0x84ae  60
  Router    192.168.1.3  192.168.1.3  0x80000023  1249 0x22 0x545e  60
  Network   172.26.2.2    192.168.1.3  0x80000005  2049 0x22 0x43e3  32
  Network   172.26.3.2    192.168.1.3  0x80000005  2449 0x22 0x38ed  32
  Summary   *172.26.1.0   192.168.1.2  0x80000007  2541 0x22 0x4db7  28
  Summary   172.26.4.0    192.168.1.3  0x80000025  2249 0x22 0xe9f6  28
  Summary   *192.168.1.1  192.168.1.2  0x80000006  1613 0x22 0xa3bb  28
  Summary   192.168.1.4   192.168.1.3  0x8000001a  1649 0x22 0x57ef  28
  ASBRSum   *192.168.1.1  192.168.1.2  0x80000007  2310 0x22 0x93c9  28

  OSPF database, Area 0.0.0.1
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Router    192.168.1.1  192.168.1.1  0x80000007   56 0x22 0x82c3  48

  OSPF AS SCOPE link state database
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Extern    172.18.1.0   192.168.1.1  0x80000005   96 0x22 0x374c  36
  
```

Referring to the output shown in the exhibit, which two statements are correct? (Choose two.)

- A. The device is not an ABR.
- B. The device originated the 192.168.1.2 database entry.
- C. The device originated the 192.168.1.1 database entry.
- D. The device is an ABR.

Correct Answer: BD

QUESTION 4

The next hop for the route is not reachable.

In this scenario, what are two ways that BGP handles this route? (Choose two.)

- A. The route is placed into the forwarding table as an inactive route.
- B. The route is not placed into the forwarding table.
- C. The route is placed into the routing table as a hidden route.
- D. The route is placed into the forwarding table as a hidden route.

Correct Answer: BC

QUESTION 5

You were provided a network diagram that told you to number your network from the 191.255.0.0/16 space. OSPF is enabled and adjacencies are up, but no routers are learning any routes. What can explain this?

- A. The default OSPF export policies advertise nothing, so you need to apply export policy
- B. The default OSPF import policy rejects all OSPF routes, so you need to apply import policy
- C. You need to modify the routing table with a 191.255.0.0/16 accept statement
- D. You need to enable OSPF on the lo0 interface to provide a route to the RID of each router in the network

Correct Answer: C

[Latest JN0-349 Dumps](#)

[JN0-349 VCE Dumps](#)

[JN0-349 Exam Questions](#)