

JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-349.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
[edit routing-options]
user@router# show | display inheritance no-comments
static {
  defaults {
    preference 20;
  }
  route 0.0.0.0/0 {
    next-hop 172.18.1.1;
    preference 5;
  }
  route 192.168.1.2/32 next-hop 172.20.111.10;
  route 192.168.2.0/30 next-hop [ 172.20.66.2 172.20.77.2 ];
  route 172.20.112.0/24 next-hop [ 172.20.66.2 172.20.77.2 ];
}
```

Which two statements about the configuration shown in the exhibit are correct? (Choose two.)

- A. Two next-hop interfaces should appear in the routing table for the 172.20.112.0/24 prefix.
- B. Multiple equal-cost next hops are installed in the forwarding table for the 192.168.2.0/30 prefix.
- C. The route preference is the same for each static route.
- D. Only the selected next-hop interface should appear in the forwarding table for the 172.20.112.0/24 prefix.

Correct Answer: AD

QUESTION 2

Which two statements are true regarding RIB groups? (Choose two.)

- A. The first table listed is the primary route table and determines the address family of the RIB group.
- B. The last table listed is the primary route table and determines the address family of the RIB group.
- C. A RIB group must contain one or more export-rib statements.
- D. A RIB group must contain one or more import-rib statements.

Correct Answer: AD

QUESTION 3

Which two port security mechanisms rely on an accurate DHCP snooping database to operate correctly? (Choose two.)

- A. IP source guard
- B. persistent MAC learning
- C. MACsec
- D. dynamic ARP inspection

Correct Answer: AD

QUESTION 4

Which two statements concerning IS-IS adjacencies are correct? (Choose two.)

- A. For Level 1 adjacencies, the area IDs can be different.
- B. For Level 2 adjacencies, the area IDs can be different.
- C. Level 2 routers can form an adjacency with Level 1 routers.
- D. Level 2 routers do not form adjacencies with Level 1 routers.

Correct Answer: BC

QUESTION 5

When electing a DIS in an IS-IS network, what is used to break a priority tie?

- A. highest router ID
- B. highest MAC address
- C. lowest MAC address
- D. lowest router ID

Correct Answer: B

Explanation: https://www.juniper.net/documentation/en_US/junos/topics/concept/routing-protocol-is-is-security-designated-router-understanding.html

[Latest JN0-349 Dumps](#)

[JN0-349 PDF Dumps](#)

[JN0-349 Study Guide](#)