# JN0-351<sup>Q&As</sup>

Enterprise Routing and Switching Specialist (JNCIS-ENT)

## Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/jn0-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass


800,000+ Satisfied Customers



## Leads4Pass

## **QUESTION 1**

Click the exhibit button.



Switch-1 in the exhibit receives a packet from User A with a destination MAC address of

00:26:88:02:74:47.

Which statement in this scenario is correct?

Α.

Switch-1 sends the packet out ge-0/0/7 only.

Β.

Switch-1 sends the packet out ge-0/0/7 and ge-0/0/8.

C.

Switch-1 sends the packet out ge-0/0/6, ge-0/0/7, ge-0/0/8, and ge-0/0/9.

D.


Switch-1 sends the packet out ge-0/0/7, ge-0/0/8, and ge-0/0/9.

Correct Answer: A

## **QUESTION 2**

## Leads4Pass

Click the Exhibit button.



Your company has connections to two ISPs. Each ISP is in a separate routing instance. You need to advertise the 0.0.0.0/0 prefix from both ISPs to all your devices.

Referring to the exhibit, which statement is true in this scenario?

- A. You must create and apply match input filters on interfaces ge-0/0/2 and ge-0/0/3.
- B. You must create a policy to allow traffic from your network to each ISP.
- C. You must create an internal routing instance for your network.
- D. You must create a RIB group to share interface routes.

Correct Answer: D

## **QUESTION 3**

You have configured storm control on your network devices. Your network has grown and you no longer have time to investigate each occurrence of a storm control violation. You want to enable a port to automatically be re-enabled after a storm violation. In this scenario, which Junos OS configuration timeout would accomplish this task?

- A. Configure the secure access port timeout.
- B. Configure the port error disable timeout.
- C. Configure the BPDU blocking timeout.
- D. Configure the MAG aging table timeout.

Correct Answer: B

#### **QUESTION 4**

Which two statements about Layer 2 loop prevention protocols are correct? (Choose two.)

- A. RSTP distributes the current tree topology using the root bridge.
- B. STP can take 30 to 50 seconds to respond to a topology change.
- C. RSTP can take 30 to 50 seconds to respond to a topology change.
- D. STP distributes the current tree topology using the root bridge.

Correct Answer: AB

#### **QUESTION 5**

Which two statements about the default load-balancing behavior for the Junos OS are correct? (Choose two.)

A. By default, the Junos OS performs a per-packet load-balancing operation.

- B. By default, the Junos OS installs multiple equal-cost next hops in the forwarding table for a destination prefix.
- C. By default, the Junos OS selects one of the equal-cost next hops for received destination prefixes.
- D. By default, all Packet Forwarding Engine slots are assigned the same hash value on the Junos device.

Correct Answer: CD

Latest JN0-351 Dumps

JN0-351 PDF Dumps

JN0-351 Practice Test