

JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
[edit interfaces ge-0/0/3]
user@router# show
unit 0 {
    family inet {
        address 10.1.1.29/31;
    }
}
```

```
[edit protocols bgp group BGP]
user@router# show
multihop;
accept-remote-nexthop;
local-address 10.1.1.29;
advertise-inactive;
damping;
family inet {
    unicast;
}
family inet-vpn {
    unicast;
}
peer-as 65511;
local-as 65514;
multipath;
allow 10.100.100.0/24;
neighbor 10.1.1.28;
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The configuration is for an external BGP session
- B. The local-address statement is not required for the BGP session to establish correctly
- C. The configuration is for an internal BGP session
- D. The local-address statement is required for the BGP session to establish correctly

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/local-address-

edit-protocols-bgp.html

QUESTION 2

Which statement about a virtual-router type of routing instance is correct?

- A. It is used to separate large networks into smaller administrative entities
- B. It is the only routing instance type supported on Junos devices
- C. It is used in Layer 3 VPN implementations
- D. It is used to create and maintain separate routing and forwarding tables

Correct Answer: D

QUESTION 3

Click the Exhibit button.

```
[edit protocols ospf]
user@router# show
reference-bandwidth 10g;
area 0.0.0.0 {
    interface ge-1/0/0.0 {
        priority 255;
    }
    interface ge-3/0/0.0 {
        priority 128;
    }
    interface xe-0/0/0.0 {
        interface-type nbma;
    }
}
```

Referring to the exhibit, which statement is correct?

- A. Interface xe-0/0/0.0 has a default metric of 10
- B. Interface ge-3/0/0.0 has a default metric of 10
- C. Interface ge-1/0/0.0 can only form a single adjacency
- D. Interface xe-0/0/0.0 can only form a single adjacency

Correct Answer: B

QUESTION 4

Which two statements are true when considering logical systems? (Choose two.)

- A. Logical systems do not support nonstop active routing
- B. Logical systems share the master routing table and can create routing instances
- C. Logical tunnels cannot be used to connect logical systems
- D. Logical systems provide management separation by providing user access per logical system

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-logical-systemsfor-routers-and-switches.html

QUESTION 5

Click the Exhibit button.

```
[edit protocols bgp]
user@router# show
group ibgp {
    type internal;
    local-preference 125;
    neighbor 10.1.1.1;
    neighbor 10.2.2.2;
    neighbor 10.3.3.3;
}
...
[edit policy-options]
user@router# show
policy-statement bgp-preference {
    term 1 {
        from neighbor 10.1.1.1;
        then {
            local-preference 130;
            accept;
        }
    }
    term 2 {
        from neighbor 10.2.2.2;
        then {
            local-preference 90;
            accept;
        }
    }
}
```

Referring to the exhibit, which statement is correct?

- A. Routes from 10.1.1.1 are more preferred than routes from 10.2.2.2
- B. Routes from 10.2.2.2 are less preferred than the default local preference
- C. Routes from 10.3.3.3 are more preferred than the default local preference
- D. Routes from 10.2.2.2 are less preferred than routes from 10.3.3.3

Correct Answer: C