

JN0-412^{Q&As}

Cloud, Specialist (JNCIS-Cloud)

Pass Juniper JN0-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-412.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two statements regarding tags, within the Contrail Security framework, are correct? (Choose two.)

- A. RBAC determines which user accounts can modify or remove attached tags.
- B. Tags are communicated from the control node to vRouters through route updates.
- C. Only the CSPAdmin user account can modify or remove attached tags.
- D. Tags are communicated from the config node to vRouters through route updates.

Correct Answer: AB

QUESTION 2

What is AppFormix used for in Contrail?

- A. to deploy an underlay fabric
- B. to create VNFs
- C. to analyze network performance
- D. to secure application traffic

Correct Answer: B

QUESTION 3

You are asked to create a connection between a VM and two ports on a QFX leaf device in the fabric.

Which Contrail feature must you configure to accomplish this task?

- A. virtual network policy
- B. floating IP
- C. virtual port group
- D. virtual network with route leaking

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/contrail19/information-products/pathway-pages/contrail-fabric-lifecycle-management-feature-guide.pdf#page=113andzoom=100,100,712

QUESTION 4

Click the Exhibit button.

```
heat_template_version: 2018-03-02

resources:
  vm_1:
    type: OS::Nova::Server
    properties:
      image: cirros
      flavors: ml.tiny
      networks: [{"network": "VN-A"}]

  vm_2:
    type: OS::Nova::Server
    properties:
      image: cirros
      flavors: ml.tiny
      networks: [{"network": "VN-A"}]
```

What will be the result of deploying the Heat template shown in the exhibit?

- A. Neither VM will be deployed.
- B. Only vm_2 will be deployed and vm_1 will be overwritten.
- C. Both vm_1 and vm_2 will be deployed.
- D. Only vm_1 will be deployed and vm_2 will fail.

Correct Answer: C

Reference: <https://docs.onap.org/projects/onap-vnfrqts-requirements/en/latest/Chapter5/Heat/ONAP%20Heat%20Resource%20ID%20and%20Parameter%20Naming%20Convention/Nova%20Parameters.html>

QUESTION 5

Which BMS feature ensures that IP address management is consistent between the virtual and physical instances?

- A. inventory management
- B. image management
- C. IPAM management

D. network security management

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/contrail19/topics/topic-map/bmsmanagement.html

[JN0-412 PDF Dumps](#)

[JN0-412 Practice Test](#)

[JN0-412 Study Guide](#)