

JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In a Python commit script, which object provides the post-inheritance candidate configuration?

- A. Commit-Script-Input
- B. Junos_Configuration
- C. Candidate_Configuration
- D. Checkout_Configuration

Correct Answer: B

Python automation scripts import the Junos_Context dictionary when the script must access information about the script execution environment. The Junos_Configuration object is required when the commit script must read and manipulate the post-inheritance candidate configuration. Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/general/junos-scriptautomation-boilerplate-commit-scripts.html

QUESTION 2

To which component(s) does the JET service APIs provide access?

- A. YANG modules
- B. XML APIs
- C. control plane
- D. forwarding plane

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/jet1.0/topics/concept/jet-service-apis-overview.html

QUESTION 3

A customer has a control machine with a default Ansible installation. During execution of an Ansible module, the Ansible control machine generates the no hosts matched error.

Which statement is correct in this scenario?

- A. The target device was not defined in /etc/ansible/inventory/hosts on the control machine
- B. The target device was not defined on the associated DNS servers
- C. The target device was not defined in /etc/hosts on the control machine
- D. The target device was not defined in /etc/ansible/hosts on the control machine

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/task/troubleshooting/junos-ansible-connection-errors-troubleshooting.html

QUESTION 4

Which command is valid for accessing a Junos device using the RESTful API on the default port?

- A. curl http://192.168.1.1/rpc/get-interface-information?interface-name=1o0 -u "user:pass123"
- B. curl http://user:pass123@192.168.1.1/rpc/get-interface-information?interface-name=1o0
- C. curl -u "user:pass123" http://192.168.1.1:80/rpc/get-interface-information?interface-name=1o0
- D. curl http://user:pass123@192.168.1.1:3000/rpc/get-interface-information?interface-name=1o0

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/task/configuration/rest-apisubmitting-post-request.html

QUESTION 5

What are three ways for PyEZ to connect to supported Junos devices? (Choose three)

- A. NETCONF over SSH
- B. serial interface
- C. Telnet
- D. JET API
- E. Webhook

Correct Answer: ABC

Reference: https://www.juniper.net/documentation/en_US/junos-pyez/topics/task/program/junos-pyezconnection-methods.html

[JN0-420 PDF Dumps](#)

[JN0-420 Study Guide](#)

[JN0-420 Exam Questions](#)