

JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your network includes SRX Series devices at the headquarters location. The SRX Series devices at this location are part of a high availability chassis cluster and are configured for IPS. There has been a node failover.

In this scenario, which statement is true?

- A. Existing sessions continue to be processed by IPS because of table synchronization.
- B. Existing sessions are no longer processed by IPS and become firewall sessions.
- C. Existing session continue to be processed by IPS as long as GRES is configured.
- D. Existing sessions are dropped and must be reestablished so IPS processing can occur.

Correct Answer: A

QUESTION 2

Click the Exhibit button.

```
user@host> show ethernet-switching global-information
Global Configuration:

MAC aging interval           : 300
MAC learning                 : Enabled
MAC statistics               : Disabled
MAC limit Count              : 65535
MAC limit hit                : Disabled
MAC packet action drop      : Disabled
LE aging time                : 1200
LE VLAN aging time          : 1200
Global Mode                  : Switching
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. You can secure inter-VLAN traffic with a security policy on this device.
- B. You can secure intra-VLAN traffic with a security policy on this device.
- C. The device can pass Layer 2 and Layer 3 traffic at the same time.
- D. The device cannot pass Layer 2 and Layer 3 traffic at the same time.

Correct Answer: AC

QUESTION 3

SRX Series devices with AppSecure support which three custom signatures? (Choose three.)

- A. MAC address-based mapping
- B. latency detection mapping
- C. IP protocol-based mapping
- D. ICMP-based mapping
- E. Layer 7-based signatures

Correct Answer: CDE

QUESTION 4

What is the required when deploying a log collector in Junos Space?

- A. root user access to the log collector
- B. a shared log file directory on the log collector
- C. the IP address of interface eth1 on the log collector
- D. a distributed deployment of the log collector nodes

Correct Answer: A

QUESTION 5

What are three components of Software-Defined Secure Networks? (Choose three.)

- A. Contrail
- B. Sky ATP
- C. SRX Series device
- D. Security Director
- E. Network Director

Correct Answer: BCD

[Latest JN0-634 Dumps](#)

[JN0-634 VCE Dumps](#)

[JN0-634 Exam Questions](#)