

# JN0-643<sup>Q&As</sup>

Enterprise Routing and Switching, Professional (JNCIP-ENT)

## Pass Juniper JN0-643 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-643.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements is true regarding the MED attribute? (Choose two)


- A. it is not passed across multiple autonomous systems
- B. the highest value is preferred
- C. it is passed across multiple autonomous system
- D. the lowest value is preferred

Correct Answer: AD

---

**QUESTION 2**

Referring to the exhibit, traffic is being sent from user1 to server 1 .The traffic is being classified using IP precedence into the default forwarding class expedited forwarding on R1 R2 and R4 .however R3 has no class service configuration. What are two potential actions R3 will take on the traffic? (Choose two)



- A. the traffic is serviced by the best effort queue
- B. the traffic is serviced by the assured forwarding queue
- C. the traffic is serviced by the network control queue
- D. the traffic is serviced by the expedited forwarding queues

Correct Answer: AC

---

**QUESTION 3**

You are asked to reduce broadcast traffic within the switching domain. You want VLAN broadcast traffic to only go to switches that have VLAN members connected to the network. How would you accomplish this task?

- A. storm control on all of the switches in the network
- B. configure multiple VLAN registration protocol [MVRP] on all trunk ports in the network
- C. use the set vlansvlan prune command for all configured VLANs
- D. use the set protocols igmp-snooping vlan all immediate-leave command

Correct Answer: B

---

#### QUESTION 4

Which 802.1x supplicant mode allows multiple supplicants to be connected to a port one requires each device to authenticate separately?

- A. single
- B. smgle secure
- C. MAC RADIUS
- D. Multiple

Correct Answer: D

---

#### QUESTION 5

You are configuring port ge-0/0/0 on an EX Series switch connected to an IP phone that does not support LLDP-MED.

Which three configuration statements do you need to accomplish this task? (Choose three.)

- A. set interfaces ge-0/0/0 unit 0 family ethernet-switching native-vlan-id voice-vlan
- B. set interfaces ge-0/0/0 unit 0 family ethernet-switching vlan members voice-vlan
- C. set interfaces ge-0/0/0 unit 0 family ethernet-switching vlan members data-vlan
- D. set interfaces ge-0/0/0 unit 0 family ethernet-switching native-vlan-id data-vlan
- E. set interfaces ge-0/0/0 unit 0 family ethernet-switching port-mode trunk

Correct Answer: BDE

---

[JN0-643 PDF Dumps](#)

[JN0-643 VCE Dumps](#)

[JN0-643 Practice Test](#)