

JN0-661^{Q&As}

Service Provider Routing and Switching

Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/jn0-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/jn0-661.html 2021 Latest lead4pass JN0-661 PDF and VCE dumps Download

QUESTION 1


You are asked to deploy VPLS in your network as a new service for several customers and must identify the configuration and provisioning requirements. Which two statements are correct? (Choose two.)

- A. PE routers must include a VRF routing instance.
- B. PE interfaces facing customers must have family VPLS configured.
- C. PE routers must create a unique site ID for each CE device.
- D. CE routers must be configured with their assigned route target.

Correct Answer: BC

QUESTION 2

-- Exhibit?



-- Exhibit -

Click the Exhibit button.

Referring to the exhibit, which two configuration steps must be implemented so that LSPs will be able to use link protection from R1 to R3? (Choose two.)

- A. Configure each eligible interface for link protection.
- B. Configure each eligible router\\'s protocol RSVP for fast reroute.
- C. Configure each eligible router\\'s protocol MPLS for link protection.



https://www.lead4pass.com/jn0-661.html 2021 Latest lead4pass JN0-661 PDF and VCE dumps Download

D. Configure each eligible LSP for link protection.

Correct Answer: AD

QUESTION 3

Refer to the exhibit.

https://www.lead4pass.com/jn0-661.html

2021 Latest lead4pass JN0-661 PDF and VCE dumps Download

```
user@router> show route receive-protocol rip 2.2.2.2
inet.0: 15 destinations, 15 routes (15 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
50.50.0.0/26
                     *[RIP/100] 00:09:12, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.1.0/24
                      *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.2.0/24
                      *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.3.0/25
                      *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.4.0/25
                      *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.4.128/25
                     *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.5.0/26
                      *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.5.64/26
                     *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
50.50.5.128/26
                     *[RIP/100] 00:32:24, metric 2, tag 0
                         > to 2.2.2.2 via fe-3/0/0.2
[edit policy-options policy-statement RIP-redist]
                                                     [edit policy-options policy-statement RIP-redist]
user@router# show
                                                     user@router# show
term 1 {
                                                     term 1 {
     from {
                                                           from {
          protocol rip;
                                                                protocol rip;
          route-filter 50.50.1.0/24 exact;
                                                                route-filter 50.50.0.0/24 upto /2
     then accept;
                                                           then reject;
}
term 2 {
                                                     term 2 {
     from {
                                                           from
          protocol rip;
          route-filter 50.50.0.0/24 upto /27;
                                                                route-filter 5
                                                                              .50.1.0/24 exact;
     then reject;
term 3 {
                                                           term 3 {
     from protocol rip;
                                                                from protocol rip;
     then accept;
                                                                then accept;
}
                                   ent RIP-redist]
[edit policy-options policy-stat
                                                                      [edit policy-options policy-statement RIP-redist]
user@router# show
                                                                     user@router# show
term 1 {
                                                                     term 1 {
     from
                                                                          from {
           protocol rip;
                                                                               protocol rip;
          route-filter 50.50.0.0/16 prefix-length-range /24-/26;
                                                                               route-filter 50.50.1.0/24 exact;
     then reject;
                                                                          then accept;
}
term 2 {
                                                                     term 2 {
     from {
          protocol rip;
                                                                               protocol rip;
          route-filter 50.50.1.0/24 exact;
                                                                               route-filter 50.50.0.0/16 prefix-length-range /24-/26;
     then accept;
                                                                          then reject;
```

https://www.lead4pass.com/jn0-661.html

2021 Latest lead4pass JN0-661 PDF and VCE dumps Download

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

QUESTION 4

Refer to the exhibit.

user@router> show ospf neighbor brief

Address	Intf		State	ID	Pri	Dead
192.168.158.103	ge-0/1 / 0		Full	10.250.240.35	1	36
192.168.158.115	ge-0/1/0		Full	10.250.240.9	128	38
192.168.158.123	ge-0/1/0	0	Full	10.250.240.31	128	33
10.1.1.126	ge-1/2/1	O'S	Full	10.250.240.10	128	37
10.1.1.125	ge-1/2/1	03	Full	10.250.240.7	128	38
10.1.2.10	ge-3/1/0	V	Full	10.250.240.3	64	
10.1.2.51	ge-4/1/1		Full	10.250.240.5	128	

Which statement is true?

- A. OSPF neighbor 192.168.158.103 is least likely to be selected as the designated router.
- B. OSPF neighbor 192.168.158.103 is most likely to be selected as the designated router.
- C. OSPF neighbor 192.168.158.103 is ineligible to be selected as the designated router.
- D. OSPF neighbor 192.168.158.103 is second most likely to be selected as the designated router.

Correct Answer: A

QUESTION 5

-- Exhibit -

user@router> show route receive-protocol rip 2.2.2.2

inet.0: 15 destinations, 15 routes (15 active, 0 holddown, 0 hidden)

+ = Active Route, - = Last Active, * = Both 50.50.0.0/26 *[RIP/100] 00:09:12, metric 2, tag 0

https://www.lead4pass.com/jn0-661.html

> to 2.2.2.2 via fe-3/0/0.2

50.50.1.0/24 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.2.0/24 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.3.0/25 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.4.0/25 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.4.128/25 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.5.0/26 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.5.64/26 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

50.50.5.128/26 *[RIP/100] 00:32:24, metric 2, tag 0

> to 2.2.2.2 via fe-3/0/0.2

-- Exhibit -

Click on the Exhibit button.

Referring to the exhibit, how should an export policy be configured to export only the 50.50.1.0/24 RIP summary route into OSPF?

A. [edit policy-options policy-statement RIP-redist] user@router# show term 1 { from { protocol rip; route-filter 50.50.1.0/24 exact; } then accept; } term 2 { from { protocol rip; route-filter 50.50.0.0/24 upto /27; } then reject; } term 3 { from protocol rip; then accept; }

B. [edit policy-options policy-statement RIP-redist] user@router# show term 1 { from { protocol rip; route-filter 50.50.0.0/24 upto /27; } then reject; } term 2 { from { protocol rip; route-filter 50.50.1.0/24 exact; } then accept; } term 3 { from protocol rip; then accept; }

C. [edit policy-options policy-statement RIP-redist] user@router# show term 1 { from { protocol rip; route-filter 50.50.0.0/16 prefix-length-range /24-/26; } then reject; } term 2 { from { protocol rip; route-filter 50.50.1.0/24 exact; } then accept; }

D. [edit policy-options policy-statement RIP-redist] user@router# show term 1 { from { protocol rip; route-filter 50.50.1.0/24 exact; } then accept;

}



https://www.lead4pass.com/jn0-661.html 2021 Latest lead4pass JN0-661 PDF and VCE dumps Download

term 2 {
from {
protocol rip;
route-filter 50.50.0.0/16 prefix-length-range /24-/26; }
then reject;
}

JN0-661 PDF Dumps

Correct Answer: D

JN0-661 VCE Dumps

JN0-661 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.