

## JN0-681<sup>Q&As</sup>

New Data Center, Professional

### Pass Juniper JN0-681 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-681.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is true about a Data Center Interconnect over an IP network?

- A. Layer 2 data must traverse a point-to-point link.
- B. Layer 2 data must traverse an MPLS LSP.
- C. Layer 2 data must be encapsulated.
- D. Layer 3 data must be encapsulated.

Correct Answer: B

---

**QUESTION 2**

You are configuring an IP Fabric in your data center and you are trying to load-balance traffic across multiple equal-cost BGP routes. You have enabled multipath, but the traffic is not being load-balanced.

```
user@switch> show route 10.1.2.0/24

inet.0: 11 destinations, 13 routes (11 active,
holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

10.1.2.0/24          *[BGP/170] 01:21:05,
localpref 100
                    AS path: 64516 I,
validation-state:  unverified
                    to 172.16.3.1 via ge-
0/0/1.0
                    > to 172.16.5.1 via ge-
0/0/2.0
                    [BGP/170] 01:09:08,
localpref 100
                    AS path: 64515 I,
validation-state:  unverified
                    > to 172.16.3.1 via ge-
0/0/1.0

user@switch> show route forwarding-table
destination 10.1.2.0/24
Routing table: default.inet
Internet:
Destination          Type RtRef Next hop
                    Type Index  NhRef Netif
10.1.2.0/24          user   0 172.16.5.1
                    ucst   574 4 ge-0/0/2.0
...

user@switch> show configuration policy-options
policy-statement load-balance {
    term lb {
        then {
            load-balance per-packet;
            accept;
        }
    }
}
```

Referring to the exhibit, what will solve this problem?

- A. You should apply the load-balance policy as an import policy to the forwarding table.
- B. You should apply the load-balance policy as an import policy for the BGP neighbor.
- C. You should apply the load-balance policy as an export policy to the forwarding table.
- D. You should apply the load-balance policy as an export policy to the BGP neighbor.

Correct Answer: C

---

**QUESTION 3**

Which protocol is used between VCF member devices to create a loop-free topology?

- A. LLDP
- B. MSTP
- C. RSTP
- D. VCCP


Correct Answer: D

---

**QUESTION 4**

Referring to the exhibit, Host 1 and Host 3 have exchanged traffic.

**IP Fabric  
 EVPN-VXLAN Overlay**



In this scenario, which statement is true?

- A. Leaf 2 does not learn Host 1's MAC address until Host 1 and Host 2 send traffic to each other.
- B. Leaf 2 learns Host 1's MAC address through periodic updates from Spine 2.
- C. Leaf 2 learns Host 1's MAC address when Host 3 learns Host 1's MAC address.
- D. Leaf 2 learns Host 1's MAC address when Leaf 1 queries Host 1.

Correct Answer: D

**QUESTION 5**

What are two methods used to scale an IBGP IP Fabric? (Choose two.)

- A. spanning tree
- B. redundant trunk groups
- C. route reflection
- D. confederations

Correct Answer: CD

[Latest JN0-681 Dumps](#)

[JN0-681 VCE Dumps](#)

[JN0-681 Study Guide](#)