

JN0-690^{Q&As}

Junos Troubleshooting

Pass Juniper JN0-690 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/jn0-690.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

QUESTION I
Which CLI command is used to restart a software process?
A. restart
B. reboot
C. commit
D. reload
Correct Answer: A
To restart a process one have to use restart , reboot is not even a valid command.
Possible completions: restart Restart software process
QUESTION 2
A technician has reported an alarm on your device running the Junos OS. You suspect it is due to the temperature in the rack. Which two commands will confirm your suspicion? (Choose two.)
A. show chassis alarms
B. show chassis firmware
C. show chassis hardware
D. show chassis environment
Correct Answer: AD
QUESTION 3
Which two features would be deployed to prevent DoS attacks? (Choose two.)
A. Bidirectional Forward Detection (BFD)
B. ARP policer
C. loopback filter
D. periodic packet management (PPM)
Correct Answer: BC

QUESTION 4



Click the Exhibit button.

```
-- Exhibit -user@r2# run show route 100.1.1.0/24 detail
inet.0: 5 destinations, 5 routes (5 active, 0 holddown, 0 hidden) 100.1.1.0/24 (1 entry, 1 announced) *Static PreferencE.
Next hop typE. Reject
Address: 0x8f7b5a4
Next-hop reference count: 2
StatE.
Local AS: 65001
AgE. 59
Task: RT
Announcement bits (1): 2-KRT
AS path: 65005 I
user@r2# show protocols bgp
group ibgp {
type external;
export to-bgp;
neighbor 10.1.2.1 {
local-address 10.1.2.2;
family inet {
unicast;
}
family inet6 {
unicast;
}
peer-as 65005;
}
}
```

user@r2# run show bgp summary



Groups: 1 Peers: 1 Down peers: 0 Table Tot Paths Act Paths Suppressed History Damp State Pending inet6.0 0 0 0 0 0 0 inet.0 000000 Peer AS InPkt OutPkt OutQ Flaps Last Up/Dwn State|#Active/Received/Accepted/Damped... 10.1.2.1 65005 31 31 0 0 12:08 Establ inet6.0: 0/0/0/0 inet.0: 0/0/0/ user@r2# show policy-options policy-statement to-bgp { from protocol static; then accept; } user@r2# run show route advertising-protocol bgp 10.1.2.1 [edit] user@r2# -- Exhibit -Referring to the exhibit, router r2 does not advertise the static route to peer 10.1.2.1. What is the problem? A. The export policy is incorrect. B. The static route has Next hop typE. Reject. C. The export policy should be applied under the [edit protocols bgp group ibgp neighbor 10.1.2.1] hierarchy. D. An AS path loop is detected. Correct Answer: D **QUESTION 5**

Click the Exhibit button.

-- Exhibit -user@host > show chassis craft-interface

Front Panel System LEDs: Routing Engine 0 1

OK * . Fail . * Master * .

Front Panel Alarm Indicators:

Red LED . Yellow LED * Major relay . Minor relay *



https://www.leads4pass.com/jn0-690.html 2024 Latest leads4pass JN0-690 PDF and VCE dumps Download

Front Panel FPC LEDs: FPC 0 1 2 3 4 5 6 7	8 9	
Red Green * * * *		
CB LEDs: CB 0 1		
Amber		
Green * *		
PS LEDs:		
PS 0 1 2 3 4 5 6 7 8		
Red Green * * * *		
Fan Tray LEDs: FT 0 1 2 3 Red Green '	* * * *	
Front Panel SFB LEDs: SFB 0 1 2 3 4 5 6 7		
Red Green * * * * * * *		
Front Panel Chassis Info: Chassis Number 0	0x0 Chassis Role S Exhibit -	
Referring to the exhibit, which statement is tr	rue?	
A. Routing Engine 1 is OK, the red LED is lit,	, and the major alarm relay is on.	
B. Routing Engine 1 has failed, yellow LED is	s lit, and the minor alarm relay is on.	
C. Routing Engine 1 is OK, the red LED is lit,	, and the minor alarm relay is on.	
D. Routing Engine 1 has failed, yellow LED is	s lit, and the major alarm relay is on.	
Correct Answer: B		
JN0-690 VCE Dumps	JN0-690 Practice Test	JN0-690 Braindumps