

## LCP-001<sup>Q&As</sup>

Linux Certified Professional (LCP) Powered by LPI

**Pass GAQM LCP-001 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/lcp-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by GAQM  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

What does the + symbol mean in the following grep regular expression: `grep \\'^d[aei]\\+d$\' /usr/share/dict/ words`

- A. Match the preceding character set ([aei]) one or more times.
- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

Correct Answer: D

The answer should be "Match a literal + symbol" because there is a backslash symbol before the plus, so it should match a literal +.

---

## QUESTION 2

Identify the proper device for the third partition, on the second hard disk, on the first IDE controller on a PC system.

- A. /dev/hdb3
- B. /dev/hd1b3
- C. /dev/hdc1b3
- D. /dev/hdc1d2p3

Correct Answer: A

Harddisk Recognition Primary Master /dev/hda Primary Slave /dev/hdb Secondary Master /dev/hdc Secondary Slave /dev/hdd According To question, Device name is /dev/hdb and paratition number is 3. / dev/hdb3

---

## QUESTION 3

Which of the following commands will load a kernel module along with any required dependency modules?

- A. depmod
- B. insmod
- C. modprobe
- D. module\_install
- E. loadmod

Correct Answer: C

## QUESTION 4

The command `mkfs -t ext3 /dev/hdb1 -T largefile` creates what size of inode?

- A. 4 kilobyte
- B. 1 megabyte
- C. 2 megabyte
- D. 4 megabyte

Correct Answer: B

-T fs-type : Specify how the filesystem is going to be used, so that `mke2fs` can choose optimal filesystem parameters for that use. Some Filesystem type are: `news` : One inode per 4kb block `largefile` : one inode per megabyte `largefile4` : one inode per 4 megabytes

---

## QUESTION 5

What umask value will result in the default access permissions of 600 (`rw-----`) for files and 700 (`rw-x-----`) for directories? (Provide only the numerical umask value)

- A. 0077

Correct Answer: A

[LCP-001 PDF Dumps](#)

[LCP-001 Study Guide](#)

[LCP-001 Braindumps](#)