

## LCSW<sup>Q&As</sup>

ASWB Clinical Level Social Work Licensing Exam

### Pass ASWB LCSW Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/lcsw.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by ASWB  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Many clinical social workers utilize a therapy-not to be confused with classical conditioning-that deals with modifications of voluntary behaviors caused by environmental influences. This kind of therapy includes four basic consequences: positive reinforcement, negative reinforcement, positive punishment and negative punishment. Which of the following therapies is described above?

- A. Focused Change
- B. Solution Focused Therapy
- C. Behavior Modification
- D. None of the above

Correct Answer: C

Behavior modification looks at the antecedent and consequences that cause negative behaviors. Reinforcement and punishment are the main tools of this therapy.

---

**QUESTION 2**

Nathan is 21 years old and has confided in her clinical social worker about serious behaviors that concern him. He self-reports having hallucinations, paranoia, and disorganized speech. To avoid many of these problems, Nathan has learned to isolate himself from social situations. Additionally, the biopsychosocial history shows a prevalence of mental illness in the family. Since the disorder is mainly affecting cognition, what should the social worker attempt to treat?

- A. Schizophrenia
- B. Dissociative disorder
- C. Bipolar
- D. Alter-ego

Correct Answer: A

Schizophrenia has a typical onset in early adulthood, with cases rarely developing beyond the age of 45. According to the National Institute of Mental Health schizophrenia is a chronic, severe, and disabling brain disorder diagnosed in about 1 percent of the population. People with the disorder may hear voices other people don't hear. They may believe other people are reading their minds, controlling their thoughts, or plotting to harm them. This can terrify people with the illness and make them withdrawn or extremely agitated. People with schizophrenia may not make sense when they talk. They may sit for hours without moving or talking. Sometimes people with schizophrenia seem perfectly fine until they talk about what they are really thinking.

---

**QUESTION 3**

A clinical social worker is helping a client who has had a tumultuous past. The client's main issue is the way his history has come full circle and now presents current problems. After a thorough assessment, the social worker decides to

focus on the here and now. What therapy might she utilize?

- A. Holistic therapy
- B. Brief therapy
- C. Gestalt therapy
- D. Cognitive behavioral therapy

Correct Answer: C

Gestalt therapy utilizes the past to solve a current problem. Clients are shown how to expand on their awareness through dialogue and experimental methods. They are taught self-regulation and lead through activities geared toward tackling the past.

---

#### QUESTION 4

Of the following types of studies, which are concerned with the effects of drugs on behavior, thought, perception, or mood?

- A. Pharmaceutical studies
- B. Psychopharmacological studies
- C. Psychoactive studies
- D. Chemical reactions

Correct Answer: B

Psychopharmacology refers to the study of drug-induced changes in thinking, mood and behavior. The most widely studied drugs are those available for treatment of mental disorders. Psychopharmacology is primarily focused on chemical interactions with the brain.

---

#### QUESTION 5

When clinical social work services have been terminated, this does not mean that treatment has necessarily ended. Many clients will require long-term supportive care to ensure stability. With these factors in mind, there are two elements to the definition of termination. The first is the accomplished improvements that can be maintained on an on-going basis by case managers. The second includes:

- A. Achievement of predefined treatment goals
- B. Collaboration with long-term care providers
- C. Recommendations by third-party providers
- D. Education of third party entities

Correct Answer: A

When clients feel they have successfully met the definition of termination, they may end services. Clinical social workers

are still responsible for helping the individual locate on-going support, if necessary, and provide further care if the client so desires.

[LCSW PDF Dumps](#)

[LCSW VCE Dumps](#)

[LCSW Practice Test](#)