

### LOOKML-DEVELOPER Q&As

LookML Developer

# Pass Google LOOKML-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/lookml-developer.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





### https://www.leads4pass.com/lookml-developer.html

2024 Latest leads4pass LOOKML-DEVELOPER PDF and VCE dumps Download

#### **QUESTION 1**

Users report that the main dashboard has been slow to show results.

Which two options should the developer evaluate to improve dashboard performance? (?hoose two.)

- A. Number of databases used by dashboard elements
- B. Number of queries used by the dashboard
- C. Ratio of visualizations to text tiles D. Format used to deliver these reports
- E. Amount of data rendered for each query

Correct Answer: BC

#### **QUESTION 2**

A LookML developer creates a new model and a test dashboard from the model. The developer shares the link to the new dashboard with users, but the users report that all they see is the "Model Not Found" error.

What is a possible cause of this issue?

- A. The developer has not pushed the new model to Production Mode.
- B. The developer has not added users to the new model set.
- C. The users do not have permission to access this dashboard.
- D. The new model is missing an Explore definition.

Correct Answer: B

#### **QUESTION 3**

A LookML developer has created a model with many Explores in it. Business users are having a difficult time locating the Explore they want in the long list displayed.

Which two actions can the LookML developer take to improve the user interface? (Choose two.)

- A. Apply the hidden parameter with a value of yes to Explores that only exist to power specific Looks, dashboards, or suggestion menus.
- B. Modify the business users' roles so they do not have this model in their model set.
- C. Combine the Explores into just a few Explores that each join to many views.
- D. Apply the group\_label parameter to organize the Explores under different headings.
- E. Apply the fields parameter so that each Explore has fewer fields in it.



## https://www.leads4pass.com/lookml-developer.html 2024 Latest leads4pass LOOKML-DEVELOPER PDF and VCE dumps Download

Correct Answer: BC

#### **QUESTION 4**

The daily\_forecast Explore used by the sales team needs to be cached for 24 hours. All other Explores used by the sales team need to be cached for one hour.

What is a scalable way to configure this caching logic?

- A. Define two datagroups for the model. Apply persist\_with at the model level with the datagroup for 1hour caching, and apply persist\_with to daily\_forecast with the datagroup for 24-hour caching.
- B. Define max\_cache\_age on daily\_forecast Explores of 24 hours. Define max\_cache\_age on all other Explores for one hour.
- C. Define two datagroups for the model. Create a persistent derived table (PDT) for the daily\_forecast Explore, and apply datagroup\_trigger to it using the datagroup for 24-hour caching.
- D. Define for the model one datagroup that caches for 1 hour. Create a persistent derived table (PDT) for the daily\_forecast Explore, and apply sql\_trigger\_value to it selecting the current date.

Correct Answer: A

#### **QUESTION 5**

A developer needs to build a new dimension that offers an age-based cohort representation of users. Which LookML code should the developer use to meet the requirement?

Latest LOOKML-

**DEVELOPER Dumps** 

#### https://www.leads4pass.com/lookml-developer.html 2024 Latest leads4pass LOOKML-DEVELOPER PDF and VCE dumps Download

```
A.
      dimension: age field {
      type: bins
      bins size: 30
      style: classic
      sql: ${age} ;;
      1
B.
      dimension: age field {
      type: groups
      groups: [<30, 30-60, >60]
      sql: ${age} ;;
C.
      dimension: age field {
      type: string tiers: [0 to 30, 30 to 60, 60 and above]
      style: classic
      sql: ${age} ;;
D.
      dimension: age field {
      type: tier tiers: [0, 30, 60]
      style: classic A sql: ${age} ;;
      }
A. Option A
B. Option B
C. Option C
D. Option D
Correct Answer: B
```

LOOKML-DEVELOPER

Study Guide

**LOOKML-DEVELOPER** 

**Exam Questions**