

M70-301^{Q&As}

Magento Front End Developer Certification Exam

**Pass EC-COUNCIL M70-301 Exam with 100%
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/m70-301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Where are the core module translations located?

- A. app/code/locale/
- B. app/locale/
- C. app/design/frontend/default/default/locale/
- D. app/etc/modules/locale/

Correct Answer: B

QUESTION 2

What is the proper layout update handle for adding a CSS file to the product page?

- A.
- B.
- C.
- D.

Correct Answer: C

QUESTION 3

If your custom frontend theme is missing an expected template file, the last place Magento will look is this directory: _____.

- A. app/design/frontend/base/default
- B. skin/design/frontend/base/default
- C. skin/frontend/base/default
- D. app/frontend/default/default
- E. skin/frontend/default/default
- F. app/frontend/design/default/default

Correct Answer: A

QUESTION 4

A block named newsletter is already defined in the layout XML, as in the example shown below. The page on which the block is visible has a three-column layout. How can you move the block from the left column to the right column?

EXAMPLE:

```
<default>
  <reference name="left">
    <block type="newsletter/subscribe" name="newsletter"
      template="newsletter/subscribe.phtml"/>
  </reference>
</default>
```

- A.

```
<default>
  <reference name="left">
    <remove name="left.newsletter" />
  </reference>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- B.

```
<default>
  <reference name="left">
    <action method="unsetChild"><name>newsletter</name></action>
  </reference>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- C.

```
<default>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- D.

```
<default>
  <reference name="left">
    <action method="unsetChild"><name>newsletter</name></action>
  </reference>
</default>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 5

In layout XML, which two handles are used to assign layout rules to catalog category pages of a store? (Choose TWO.)

A.

B.

C.

D.

E.

Correct Answer: CE

[M70-301 VCE Dumps](#)

[M70-301 Practice Test](#)

[M70-301 Braindumps](#)