

MA0-101^{Q&As}

McAfee Certified Product Specialist - NSP

Pass McAfee MA0-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ma0-101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by McAfee
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which attack cannot be blocked when the sensor has been set for in-line mode?

- A. TCP Control Anomaly
- B. ICMP Echo Anomaly
- C. Too Many Inbound Syn
- D. SCADA Attacks

Correct Answer: A

QUESTION 2

In double VLAN tagging, a second VLAN tag that is inserted into the frame is referred to as which of the following?

- A. Customer Identification tag (CD)
- B. VLAN Identification tag (VID)
- C. Outer Identification tag (OID)
- D. Inner Identification tag (HD)

Correct Answer: A

QUESTION 3

How are packet logs viewed from within the Manager?

- A. Push the packet log to the Sensor and open it from there
- B. Packet logs cannot be viewed from within the Manager
- C. Save and export the Packet log in order to open it
- D. Set the log to be viewable with Wireshark/Ethereal

Correct Answer: D

QUESTION 4

_____ are required to be configured before configuring the quarantine/pre-admission user classes or the quarantine DHCP server.

- A. Integrated DHCP servers

B. Wild Card DNS servers

C. Wins Servers

D. Portal Servers

Correct Answer: B

QUESTION 5

Which of the following modes can be used to implement DoS detection? (Choose two)

A. Learning Mode

B. Threshold Mode

C. Configuration Mode

D. Adaptive Mode

E. Transition Mode

Correct Answer: AB

[Latest MA0-101 Dumps](#)

[MA0-101 PDF Dumps](#)

[MA0-101 Exam Questions](#)