

MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Mulesoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibits.



```

<flow name="main" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_listener_config" path="/" allowedMethods="GET"/>
  <set-payload value="#[[1,2,3,4]]" doc:name="[1,2,3,4]" />
  <set-variable value='10' doc:name="quantity = 10" variableName="quantity" />
  <foreach doc:name="For Each" >
    <set-payload value='#["order" ++ payload]' doc:name='"order" ++ payload' />
    <set-variable value="#[vars.quantity + 1]" doc:name="quantity + 1" variableName="quantity" />
  </foreach>
  <logger level="INFO" doc:name="Logger" message='#[[ payload, vars.quantity ]]' />
</flow>
    
```


What payload and quantity are logged at the end of the main flow?

- A. [[1,2,3,4], 14]
- B. [[order1, order2, order3, order4], 14]
- C. [[1,2,3,4], 10]
- D. [order1order2order3order4,14]

Correct Answer: A

QUESTION 2

Refer to the exhibits.



```

<flow name="chooseRegion" >
  <scheduler doc:name="Scheduler" >
    <scheduling-strategy >
      <fixed-frequency frequency="5000"/>
    </scheduling-strategy>
  </scheduler>
  <set-payload value='#[ "REGION" ]' doc:name="REGION" />
  <choice doc:name="Choice" >
    <when expression='#[not isEmpty(payload)]'>
      <set-payload value='#[ "US" ]' doc:name="US" />
    </when>
    <when expression='#[payload is String]'>
      <set-payload value='#[ "EU" ]' doc:name="EU" />
    </when>
    <otherwise>
      <logger level="INFO" doc:name="payload" message="#[payload]"/>
    </otherwise>
  </choice>
  <logger level="INFO" doc:name="payload" message="#[payload]"/>
</flow>

```

A Mule application contains a Choice router. What is logged when the flow completes? A.EU

B. US

C. "REGION"

D. ["US", "EU"]

Correct Answer: B

QUESTION 3

How can you call a flow from Dataweave?

A. Not allowed

B. Include function

C. Look up function

D. Tag function

Correct Answer: C

QUESTION 4

According to Mulesoft, how are Modern APIs treated as?

A. products

B. code

C. soap services

D. organizations

Correct Answer: A

QUESTION 5

In the Database On Table Row operation, what does the Watermark column enable the On Table Row operation to do?

A. To save the most recent records retrieved from a database to enable database caching.

B. To enable duplicate processing of records in a database.

C. To avoid duplicate processing of records in a database.

D. To delete the most recent records retrieved from a database to enable database caching.

Correct Answer: C

[Latest MCD-](#)

[MCD-LEVEL1-DELTA Study](#)

[MCD-LEVEL1-DELTA](#)

[LEVEL1-DELTA Dumps](#)

[Guide](#)

[Braindumps](#)