

MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Mulesoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibits. The main flow contains an HTTP Request in the middle of the flow. The HTTP Listeners and HTTP Request use default configurations. A web client submits a request to the main flow's HTTP Listener that includes query parameters for the pedigree of the piano. HTTP Listener that includes query parameters for the pedigree of the piano. What values are accessible to the Logger component at the end of the main flow?



```
<http:request method="POST" doc:name="POST HTTP /child" url="http://localhost:8081/child">
</http:request>
<logger level="INFO" doc:name="Logger"/>
</flow>

<flow name="child" >
<http:listener doc:name="HTTP POST /child" config-ref="HTTP_Listener_config" path="/child"/>
```

- A. payload
- B. payload pedigree query params
- C. payload producer var
- D. payload pedigree query params producer var

Correct Answer: A

QUESTION 2

The new RAML spec has been published to Anypoint Exchange with client credentials.

What is the next step to gain access to the API?

- A. Email the owners of the API.
- B. Create a new client application.
- C. No additional steps needed.
- D. Request access to the API in Anypoint Exchange.

Correct Answer: D

QUESTION 3

How would you debug Mule applications?

- A. By Deploying apps on production
- B. Checking RAML
- C. Using logger component
- D. Cannot do it

Correct Answer: C

QUESTION 4

According to Semantic Versioning, which version would you change for incompatible API changes?

- A. MINOR
- B. PATCH
- C. MAJOR
- D. No change

Correct Answer: C

QUESTION 5

What DataWeave expression transforms the example XML input to the CSV output?



- A.

```
payload.sale.*item map ( (value,index) -> {
  index: index,
  sale: value.@saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.@itemId
} )
```
- B.

```
payload.sale.*item map ( (value,index) -> {
  index: index,
  sale: value.saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.itemId
} )
```
- C.

```
payload.sale.item map ( (value,index) -> {
  index: index,
  sale: value.@saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.@itemId
} )
```
- D.

```
payload.sale.item map ( (value,index) -> {
  index: index,
  sale: value.saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.itemId
} )
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA Practice Test](#)

[MCD-LEVEL1-DELTA Study Guide](#)