MD-100 ^{Q&As}

MD-100^{Q&As}

Windows Client

Pass Microsoft MD-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/md-100.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

You have a computer named Computer1 that runs Windows 10.

You need to prevent standard users from changing the wireless network settings on Computer1. The solution must allow administrators to modify the wireless network settings.

What should you use?

A. Windows Configuration Designer

B. MSConfig

C. Local Group Policy Editor

D. an MMC console that has the Group Policy Object Editor snap-in

Correct Answer: C

QUESTION 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 8.1.

Computer1 has apps that are compatible with Windows 10.

You need to perform a Windows 10 in-place upgrade on Computer1.

Solution: You copy the Windows 10 installation media to a Microsoft Deployment Toolkit (MDT) deployment share. You create a task sequence, and then you run the MDT deployment wizard on Computer1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

Reference: https://docs.microsoft.com/en-us/windows/deployment/deploy-windows-mdt/upgrade-to-windows-10-with-the-microsoft-deployment-toolkit

QUESTION 3

HOTSPOT

You have a computer that runs Windows 10.

From the Settings app, you view the connection properties shown in the following exhibit.

Network profile

⦿ Public
Your PC is hidden from other devices on the network and can't be
used for printer and file sharing.

◯ Private
For a network you trust, such as at home or work. Your PC is
discoverable and can be used for printer and file sharing if you set
it up.

Configure firewall and security settings

Metered connection

If you have a limited data plan and want more control over data
usage, make this connection a metered network. Some apps might
work differently to reduce data usage when you're connected to
this network.

Set as metered connection

◯● On

Set a data limit to help control data usage on this network

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To enable Windows Remote Management
(WinRM), you must first [**answer choice**].

▼
set the Network profile to Private
run winrm qc at the command prompt
turn off Metered connection

To ensure that Microsoft OneDrive syncs, you
must first [**answer choice**].

▼
set the Network profile to Private
run winrm qc at the command prompt
turn off Metered connection

Correct Answer:

Answer Area

To enable Windows Remote Management (WinRM), you must first **[answer choice]**.

set the Network profile to Private
run winrm qc at the command prompt
turn off Metered connection

To ensure that Microsoft OneDrive syncs, you must first **[answer choice]**.

set the Network profile to Private
run winrm qc at the command prompt
turn off Metered connection

QUESTION 4

HOTSPOT

You have a workgroup computer named Computer1 that runs Windows 10 and has the users shown in the following table.

Name	Member of
User1	Administrators
User2	Power Users, Users
User3	Backup Operators, Users
User4	Users

You plan to add a key named Key1 to the following three registry branches:

1.

HKEY_CURRENT_CONFIG\Software

2.

HKEY_LOCAL_MACHINES\Software

3.

HKEY_CURRENT_USER\Software

You need to identify which users can add Key1.

What user or users should you identify for each branch? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

HKEY_CURRENT_CONFIG\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

HKEY_LOCAL_MACHINE\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

HKEY_CURRENT_USER\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

Correct Answer:

Answer Area

HKEY_CURRENT_CONFIG\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

HKEY_LOCAL_MACHINE\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

HKEY_CURRENT_USER\Software:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, User3, and User4

Box 1 and Box 2.

These are system-wide registry keys so only Administrators can modify them.

Box 3.

This key affects only the logged in user. Therefore, any user can modify this key.

QUESTION 5

You need to ensure that a local user named User1 can establish a Remote Desktop connection to Client2.

To complete this task, sign in to the required computer or computers.

Correct Answer: See explanation below.

Add User to Remote Desktop Users Group via Settings App

1.

Open the Settings app on Client2 and go to System -> Remote Desktop. Click on the Select users that can remotely access this PC link on the right side.

2.

When the Remote Desktop Users dialog opens, click on Add.

3.

Click on Advanced.

4.

Click on Find Now and then select any user account you want to add to the "Remote Desktop Users" group, and click OK.

5.

Click OK and you're done.

Reference:

https://www.top-password.com/blog/add-user-to-remote-desktop-users-group-in-windows-10/

[MD-100 PDF Dumps](#)   [MD-100 Study Guide](#)   [MD-100 Braindumps](#)