

MS-600^{Q&As}

Building Applications and Solutions with Microsoft 365 Core Services

Pass Microsoft MS-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ms-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

DRAG DROP

You are developing a server-based application that has the following requirements:

1.
Prompt the user to fill out form that contains a keyword.
2.
Search the OneDrive for Business folder for files that contain the keyword and return the results to the user.
3.
Allow the user to select one of the files from the results.
4.
Copy the selected file to an Azure Blob storage container.

Which four actions should the application perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Answer Area

Store the `@microsoft.graph.downloadUrl` property in a variable.

Store the file in a Blob storage container.

Perform the following REST request.

```
POST /me/drive/items/{item-id}/copy
```

Store the file in a Blob storage container.



Perform the following REST request.

```
GET /me/drive/items/{item-id}
```



Perform the following REST request.

```
GET /me/drive/root/search(q='{keyword}')
```

Store the `webUrl` property in a variable.

Correct Answer:

Actions

Perform the following REST request.

```
GET /me/drive/root/search(q='{keyword}')
```

Store the `webUrl` property in a variable.

Answer Area

Perform the following REST request.

```
GET /me/drive/items/{item-id}
```

Store the `@microsoft.graph.downloadUrl` property in a variable.

Store the file in a Blob storage container.

Perform the following REST request.

```
POST /me/drive/items/{item-id}/copy
```



Store the file in a Blob storage container.

QUESTION 2

Which URI should you use to query all the emails that relate to an invoice?

```
https://graph.microsoft.com/v1.0/me/messages?$search="{invoiceid}"  
https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}  
https://graph.microsoft.com/v1.0/me/messages?${invoiceid}  
https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 3

You are developing a SharePoint Framework (SPFx) web part. The web part will call a backed API that is secured by using Azure Active Directory (Azure AD). The web part will be on a page that has many other web parts. Which type of web part should you use ensure that access to the exclusive to the web part?

- A. Provider-hosted
- B. SharePoint-hosted
- C. Domain isolated
- D. Connected

Correct Answer: A

QUESTION 4

HOTSPOT

You create an incoming webhook for a Microsoft Teams team channel.

You need to verify the webhook by using PowerShell.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
Invoke-RestMethod -Method 

|       |
|-------|
| GET   |
| MERGE |
| PATCH |
| POST  |
| PUT   |

 -ContentType 

|                            |
|----------------------------|
| 'application/json'         |
| 'application/octet-stream' |
| 'application/xml'          |


```

```
-Body '{"text": "Hello World!"}' -Uri <Webhook URL>
```

Correct Answer:

Answer Area

```
Invoke-RestMethod -Method 

|       |
|-------|
| GET   |
| MERGE |
| PATCH |
| POST  |
| PUT   |

 -ContentType 

|                            |
|----------------------------|
| 'application/json'         |
| 'application/octet-stream' |
| 'application/xml'          |


```

```
-Body '{"text": "Hello World!"}' -Uri <Webhook URL>
```

Reference: <https://techcommunity.microsoft.com/t5/microsoft-365-pnp-blog/how-to-configure-and-use-incoming-webhooks-in-microsoft-teams/ba-p/2051118>

QUESTION 5

HOTSPOT

You are building a single-page application (SPA) that will have the following parameters:

1.

App Id: DBA22F72-64PA4C44-AA2C-FAA0DA5A471B

2.

Tenant Id: DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC

3.

AppName: Contoso.Spa

You have a line-of-business API for invoicing that is secured by using the Microsoft identity platform.

The API has the following parameters:

1.

App Id: 8/9A43D7-1794-47A0-AB2B-440B63FEC248

2.

Tenant Id: DC04SC4D S881-43C7-97AB 3C5A1ADB8DBC

3.

AppName: Contoso.Invoicing

Contoso.Invoicing declares the following custom scopes:

1.

Invoices-Read

2.

Invoices. Read Write

Contoso.Spa needs to call Contoso.Invoicing to create new invoices. Which code should you use in Contoso.Spa to obtain an access token for Contoso.Invoicing? To answer, select the appropriate options in the answer area. NOTE: Each correct select is worth one point

Hot Area:

Answer Area

```

const app = new UserAgentApplication({
  auth: {
    

|                                                   |   |
|---------------------------------------------------|---|
|                                                   | ▼ |
| clientId: 'DBA22F72-642A-4C44-AA2C-FAA0DA5A471B', |   |
| clientId: '879A43D7-1794-47A0-AB2B-440B63FEC248', |   |
| clientId: 'DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC', |   |



|                                                                                       |   |
|---------------------------------------------------------------------------------------|---|
|                                                                                       | ▼ |
| authority: 'https://login.microsoftonline.com/DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/', |   |
| authority: 'https://login.microsoftonline.com/879A43D7-1794-47A0-AB2B-440B63FEC248/', |   |
| authority: 'https://login.microsoftonline.com/DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/', |   |
| redirectUri: 'https://invoicing.contoso.com/signin'                                   |   |


  },
  system: {
    logger: new Logger(this.logger)
  },
  cache: {cacheLocation: "localStorage"}
});
const response = await app.acquireTokenSilent({
  

|                                                                           |   |
|---------------------------------------------------------------------------|---|
|                                                                           | ▼ |
| scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.Read']      |   |
| scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.ReadWrite'] |   |
| scopes: ['api://DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/Invoices.ReadWrite'] |   |
| scopes: ['api://DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/Invoices.Read']      |   |
| scopes: ['Invoices.Read']                                                 |   |
| scopes: ['Invoices.ReadWrite']                                            |   |


  });
const token = response.accessToken;
  
```

Correct Answer:

Answer Area

```
const app = new UserAgentApplication({
  auth: {
    clientId: 'DBA22F72-642A-4C44-AA2C-FAA0DA5A471B',
    clientId: '879A43D7-1794-47A0-AB2B-440B63FEC248',
    clientId: 'DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC',
    authority: 'https://login.microsoftonline.com/DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/',
    authority: 'https://login.microsoftonline.com/879A43D7-1794-47A0-AB2B-440B63FEC248/',
    authority: 'https://login.microsoftonline.com/DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/',
    redirectUri: 'https://invoicing.contoso.com/signin'
  },
  system: {
    logger: new Logger(this.logger)
  },
  cache: {cacheLocation: "localStorage"}
});
const response = await app.acquireTokenSilent({
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.Read'],
  scopes: ['api://879A43D7-1794-47A0-AB2B-440B63FEC248/Invoices.ReadWrite'],
  scopes: ['api://DBA22F72-642A-4C44-AA2C-FAA0DA5A471B/Invoices.ReadWrite'],
  scopes: ['api://DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC/Invoices.Read'],
  scopes: ['Invoices.Read'],
  scopes: ['Invoices.ReadWrite']
});
const token = response.accessToken;
```

[MS-600 VCE Dumps](#)

[MS-600 Practice Test](#)

[MS-600 Braindumps](#)