

NCA-5.15^{Q&As}

Nutanix Certified Associate (NCA) 5.15 Exam

Pass Nutanix NCA-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/nca-5-15.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which Nutanix cluster component is responsible for the cluster configuration?

- A. Cassandra
- B. Stargate
- C. Zookeeper D. Zeus

Correct Answer: C

QUESTION 2

An administrator is looking to store a large amount of unstructured data with capabilities to set up a retention policy. Which Nutanix product meets this requirement?

- A. Nutanix Mint
- B. Nutanix Piles
- C. Nutanix Storage Container
- D. Nutanix Objects

Correct Answer: D

QUESTION 3

An administrator notices that a VM is slow and unresponsive. The administrator wants to compare performance to other VMs on cluster.

Which chart type is best suited to display multiple VM performance metrics for diagnosis?

- A. Dashboard Chart
- B. Entity Chart
- C. Analysis Chart
- D. Metric Chart

Correct Answer: D

QUESTION 4

How can an administrator access a Windows VM running on a Nutanix cluster if it is unreachable via ping?

- A. Connect using Xi Frame

- B. Open a Virtual Console through Prism Central
- C. Connect using RDP
- D. Open a Virtual Console through Prism Element

Correct Answer: D

QUESTION 5

An administrator has recently added two nodes to an existing three-node vSphere-based Nutanix cluster. After adding the nodes to the cluster, the administrator tries to migrate a few VMs to the new nodes, but found that no datastore exist on these new nodes yet.

What action should the administrator take to resolve this issue?

- A. Click Mount on all ESXi hosts on containers
- B. Configure iSCSI Software Adapter on hosts
- C. Configure the firewall to allow NFS datastore access
- D. Add the host IP addresses to cluster whitelists

Correct Answer: A

[Latest NCA-5.15 Dumps](#)

[NCA-5.15 Study Guide](#)

[NCA-5.15 Brindumps](#)