

NCLEX-PN^{Q&As}

National Council Licensure Examination(NCLEX-PN)

Pass NCLEX NCLEX-PN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/nclex-pn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NCLEX
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Someone who has received a recent tattoo should be screened for _____.

- A. tuberculosis
- B. herpes
- C. hepatitis
- D. syphilis

Correct Answer: C

Tattooing puts a client at risk for blood-borne hepatitis B or C if strict sterile procedures are not followed. Tuberculosis is an airborne pathogen, while herpes and syphilis are spread directly (such as through sexual contact).

QUESTION 2

Which statement about Meniere's disease is accurate and true?

- A. Meniere's disease most commonly occurs among members of the elderly population.
- B. Meniere's disease is insidious and it always affects both ears.
- C. Meniere's disease occurs with an impairment of the second cranial nerve.
- D. Antiemetic drugs are used for the treatment of patients affected with Meniere's disease.

Correct Answer: D

Antiemetic drugs as well as other drugs to treat the vertigo, like Antivert, as well as diuretics are used for the treatment of patients affected with Meniere's disease.

Meniere's disease typically affects only one ear; it is not the result of second cranial nerve damage.

Lastly, people in their 40s and 50s are at greater risk for Meniere's disease and not the elderly.

QUESTION 3

A client with jaundice has which skin color?

- A. pale
- B. ruddy
- C. yellow
- D. pink

Correct Answer: C

Jaundice turns the skin yellow.

The other skin colors are not symptoms of jaundice.

QUESTION 4

Which procedures necessitate the use of surgical asepsis techniques? (Choose all that apply.)

- A. Intramuscular medication administration.
- B. Central line intravenous medication administration.
- C. Donning gloves in the operating room.
- D. Neonatal bathing.
- E. Foley catheter insertion.
- F. Emptying a urinary drainage bag.

Correct Answer: BCE

Surgical asepsis is used when managing central line intravenous medication administration, when donning sterile gloves in the operating room and when inserting an indwelling Foley catheter. Medical asepsis, or clean technique, is used when bathing a neonate, when emptying a urinary drainage bag and when administering an intramuscular medication injection.

QUESTION 5

The PN is preparing a patient who has undergone cataract surgery on the right eye for discharge. Which of these statements indicates that the patient understands his or her post-surgical instructions?

- A. "I need to sleep on my right side."
- B. "I need to sleep flat on my back."
- C. "I need to sleep on my left side."
- D. "I can sleep in any position I find comfortable."

Correct Answer: C

[Latest NCLEX-PN Dumps](#)

[NCLEX-PN Practice Test](#)

[NCLEX-PN Brainsdumps](#)