

NCM-5.15^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 5.15

Pass Nutanix NCM-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ncm-5-15.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator needs to relocate an AHV cluster to a new datacenter during a maintenance window. The cluster will use the same IPs in the new datacenter.

Which two steps should be taken to prepare for this task? (Choose two.)

- A. Stop all Nutanix Files clusters
- B. Relocate the linked LDAP servers
- C. Shut down all user VMs in the cluster
- D. Reconfigure IPMI for the new datacenter

Correct Answer: AC

Reference: <https://next.nutanix.com/installation-configuration-23/physical-relocation-of-nutanix-clusters-38403>

QUESTION 2

An administrator has two clusters: Site A and Site B. Async DR is configured between the clusters as follows: Site A is the Primary Site Site B is the Secondary inactive Site, no VMs running Site A is fully in Production Site B used as Backup/Disaster Recovery

The customer wants to perform a planned failover between the sites. How should the administrator accomplish this?

- A. Click Activate on the Secondary site within the Data Protection Dashboard
- B. Click Activate on the Secondary site and run deactivate NCLI command on Primary site
- C. Choose Migrate on the Secondary site within the Data Protection Dashboard
- D. Choose Migrate on the Primary site within the Data Protection Dashboard

Correct Answer: D

Reference: <https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prism-v510:wcprotection-domain-failover-wc-t.html>

QUESTION 3

An administrator has a VM that consumes large amounts of storage and has the following characteristics: Create large / sequential writes Data must be kept for years Data is normally only accessed at the end of the year to run report

The administrator decides to use Erasure Coding to save space.

Which feature should the administrator utilize to save space for this VM?

- A. Inline Compression

- B. Flash Mode
- C. Cache Dedup
- D. Post-Process Compression

Correct Answer: D

QUESTION 4

An administrator wants to utilize Network Visualization to monitor the physical and logical network on the Nutanix cluster. The first-hop switch has LLDP enabled. The network switch information is still not being displayed. What is causing this problem?

- A. The ISL between switches is not configured.
- B. SNMP is not configured properly.
- C. br0 and br1 are not defined.
- D. The cluster is using RDMA-enabled NICs.

Correct Answer: B

QUESTION 5

An administrator needs to replace the self-signed certificate on a cluster. Which two requirements must be met as part of the process? (Choose two.)

- A. The cluster administrator must restart the interface gateway.
- B. The signed, intermediate and root certificates are chained.
- C. The existing certificate must be deleted prior to replacement.
- D. The imported files for the custom certificate must be PEM encoded.

Correct Answer: BD

[Latest NCM-5.15 Dumps](#)

[NCM-5.15 Study Guide](#)

[NCM-5.15 Exam Questions](#)