

NCMA^{Q&As}

National Certified Medical Assistant

Pass Test Prep NCMA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ncma.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following does it mean if an infection is nosocomial?

- A. Contracted within the hospital
- B. Originates outside of the body
- C. Contracted by touch
- D. That originates from within our own body

Correct Answer: A

QUESTION 2

A cystoscope is most commonly used by a specialist in _____.

- A. Endocrinology
- B. Urology
- C. Gynecology
- D. Gastroenterology

Correct Answer: B

QUESTION 3

What is a healthy BMI for a normal adult?

- A. 16?2
- B. 18?5
- C. 14?7
- D. 21?4

Correct Answer: B

BMI (Body Mass Index) is calculated by dividing the body mass in kilograms by the body height in meters squared (there are many charts to save you having to make this calculation yourself).

A BMI between 18 and 25 is considered healthy; anything under 18 is underweight, over 25 is overweight and over 30 is obese.

Be aware that some people may fall outside the normal range and still be healthy, for example a power

athlete carrying a lot of muscle may have a BMI over 25 and still be perfectly healthy.

QUESTION 4

If a clinic charges a patient's insurance for treatments that were not done, it would be considered _____.

- A. Malpractice
- B. Fraud
- C. Assault
- D. Embezzlement

Correct Answer: B

QUESTION 5

Where should be placed the electrodes from Lead #1 when prepping a patient for an ECG?

- A. Left leg and right leg
- B. Left chest and right chest
- C. Left hip and right hip
- D. Left arm and right arm

Correct Answer: D

All leads for an ECG have specific locations that should be carefully followed.

The electrodes for the first lead should be placed on the left and right arms, in a place where there is no thick muscle.

[NCMA Study Guide](#)

[NCMA Exam Questions](#)

[NCMA Braindumps](#)