

NCP-MCI-5.20^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/ncp-mci-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator has been tested with storing Nutanix snapshots at an off-premises location. The administrator does not have a second Nutanix cluster to use. Which two servers could be utilized as remote sites for snapshots? (Choose two)

- A. Google Cloud Platform
- B. Amazon Web Services
- C. Microsoft Azure
- D. XI Cloud Services
- E. The IBM Cloud

Correct Answer: BC

QUESTION 2

An administrator migrates a Windows VM from an ESXi host to a Nutanix AHV cluster. When powered on, the migrated VM fails to start. The VM console shows the error message:

Cannot locate boot device

What should the administrator confirm to identify the reason that the VM fails to boot?

- A. The Windows OS is at a supported patch level.
- B. Nutanix Virt IO drivers were installed on the VM pre-migration.
- C. VM snapshots on the source cluster were consolidated.
- D. The ESXi source cluster can ping the destination AHV cluster.

Correct Answer: B

QUESTION 3

How should an administrator correct an SSL error while connecting to a Nutanix Cluster?

- A. renew ssl self signed
- B. AD group policy
- C. add cert to trusted in local system
- D. create new cert from AD CA Authority

Correct Answer: A

QUESTION 4

An administrator is configuring NTP for Nutanix cluster.

How many NTP sources must they configure to identify a false ticker and provide redundancy?

- A. 2
- B. 4
- C. 3
- D. 5

Correct Answer: B

QUESTION 5

An administrator has a cluster in a secure environment. The administrator wants to disable password authentication over SSH to access the cluster. Which configure should the administrator use to disable password authentication over SSH?

- A. Modify the SSH configuration on each host
- B. Enable Cluster Lockdown in Prism
- C. Modify the SSH Configuration on each CVM
- D. Configure a proxy server in Prism

Correct Answer: B

[NCP-MCI-5.20 Practice Test](#) [NCP-MCI-5.20 Study Guide](#) [NCP-MCI-5.20 Braindumps](#)