

# NS0-102<sup>Q&As</sup>

NetApp(ASAP) Accredited Storage Architect Professional

## Pass Network Appliance NS0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-102.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

What are the three functions of Protection Manager? (Choose three.)

- A. It discovers all systems with NetApp datasets that are not currently backed up.
- B. It notifies when backups are full or approaching a predefined threshold.
- C. It provides information on SnapMirror and SnapVault relationships.
- D. It provides the ability to manage thirdparty storage backups.
- E. It manages connections to tape drives and performs tape backup jobs.

Correct Answer: ABC

---

## QUESTION 2

Which two types of recovery does Single Mailbox Recovery (SMBR) provide? (Choose two.)

- A. simultaneous recovery of multiple Exchange database files
- B. recovery of a single Exchange storage group
- C. recovery of a single calendar appointment
- D. recovery of a single message

Correct Answer: CD

---

## QUESTION 3

Which statement is true about SnapLock Compliance?

- A. It provides a fast, centralized, and cost effective disk to disk backup solution.
- B. It is an integrated compliance and data protection solution for unstructured data.
- C. It allows administrators to delete entire volumes.
- D. It has no ability to delete data other than through physical destruction or removal of drives.

Correct Answer: D

---

## QUESTION 4

Which two disaster recovery offerings work without the requirement for NetApp hardware at the source and destination? (Choose two.)

- A. ReplicatorX
- B. SnapMirror
- C. MetroCluster
- D. VFM
- E. SnapVault

Correct Answer: AD

---

## QUESTION 5

ASIS \_\_\_\_\_ deduplication of data residing on a NetApp device is performed at the \_\_\_\_\_ level.

- A. block volume
- B. blocktree
- C. file volume
- D. filetree

Correct Answer: A

[Latest NS0-102 Dumps](#)

[NS0-102 Study Guide](#)

[NS0-102 Braindumps](#)