

NS0-158^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass Network Appliance NS0-158 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/ns0-158.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF ead4Pass.com

https://www.lead4pass.com/ns0-158.html

2021 Latest lead4pass NS0-158 PDF and VCE dumps Download

QUESTION 1

Which network interface failover group target ports are available when the system-defined failover policy is used?

A. only the ports in the failover group that are in the LIF\\'s home node and on the LIF\\'s storage-failover (SFO) partner node

B. only the ports in the failover group that are in the LIF\\'s home node

C. only the ports in the failover group that are in the LIF\\'s home node and on a non- storage-failover (non-SFO) partner node

D. all network ports from all nodes in the failover group

Correct Answer: C

system-defined: Only those ports on the LIF\\'s home node and a non-SFO partner. References: ONTAP 9. 0 Network_Management_Guide (January 2017), page 20

QUESTION 2

An administrator enabled the iSCSI protocol on an SVM and created a LUN for a Windows 2016 system. After rescan, the LUN is not visible on the host. Which two steps must the administrator take to solve this problem? (Choose two.)

- A. Create an initiator group (igroup), add the WWPN of the host initiator, and then map the igroup to the LUN.
- B. Disable the ALUA support from the host for the LUN.
- C. Configure the iSCSI service on the Windows 2016 system.
- D. Create an initiator group (igroup), add the iSCSI IQN, and map the igroup to the LUN.

Correct Answer: CD

D: An iSCSI qualified name (IQN) identifier is a worldwide unique name that each iSCSI initiator and iSCSI target must have. The IQN for an iSCSI initiator is available in Microsoft iSCSI Software Initiator or other iSCSI initiators. Typically the IQN is used by the iSCSI target to identify the iSCSI initiator.

QUESTION 3

You have a 2-node NetApp cluster. You would like to use an onboard UTA2 port for host connectivity. The port was previously connected to a tape library using native FC. What must you do to configure the port for host connectivity?

- A. Change the port mode to FC.
- B. Change the port mode to CNA.
- C. Change the FC type to initiator.
- D. Change the FC type to target.

https://www.lead4pass.com/ns0-158.html

2021 Latest lead4pass NS0-158 PDF and VCE dumps Download

Correct Answer: B

Certain converged network adapters (CNAs), such as the X1143 adapter and the UTA2 onboard ports, contain offload support for LLDP. References: ONTAP 9. 0 Network_Management_Guide (January 2017), page 98 https://library.netapp.com/ecm/ecm_download_file/ECMLP2492610

QUESTION 4

Click the Exhibit button.

Vserver: svml		Policy: svml			Volume:	Volume: svml_data1				
Type	Target	Qtree	User Mappi	Disk ng Limit	Soft Disk Li		- 100 MA	Soft Files Limit	Threshold	
tree	W.W			100GB	75GB	50	00	4000	90GB	
tree	qtree2	14.00	-	200GB	180GB	10	000	9200	180GB	
::> quota Vserver:	CS612 7 (1)(1)(1)			. 1	800					
vserver.	24111			0	Disk	Fi	les	Quota		
	Tree	Ty	pe	ID Oused	Limit	Used	Limit	Specifie	er	
Volume			(
Volume						-		1100		
Volume svml_data			ee	OB	100GB	0	5000	*	回鉄	
				0B 2 7.49M		0 3 5	10000	qtree2		



Referring to the exhibit, which two statements are true? (Choose two.)

- A. A default tree quota is set on volume svm1_data1.
- B. An explicit quota is set on qtree1, and a derived quota is set on qtree2.
- C. A derived quota is set on qtree1, and an explicit quota is set on qtree2.
- D. A default user quota is set on volume svm1_data1.

Correct Answer: BD

A quota enforced as a result of a default quota, rather than an explicit quota (a quota with a specific target), is referred to as a derived quota. To see derived quotas, you can generate a quota report. In the report, a derived user or group quota is indicated by a Quota Specifier that is either blank or an asterisk (*). A derived tree quota, however, has a Quota Specifier; to identify a derived tree quota, you must look for a default tree quota on the volume with the same limits. Since they are not manually configured quota rules, derived quotas do not appear in the output of the quota policy rule show command.

References: https://library.netapp.com/ecmdocs/ECMP1368017/html/GUID-C2CC0C07-9CB6-4891-BEB4-9EF87145DAA3.html



https://www.lead4pass.com/ns0-158.html

2021 Latest lead4pass NS0-158 PDF and VCE dumps Download

QUESTION 5

You need to duplicate a production LUN for quality assurance testing. The LUN resides in svm_prod and needs to be available in svm_qa. Both SVMs reside on the same cluster. Which step will accomplish this task?

- A. Issue the lun move command.
- B. Issue the volume rehost command.
- C. Issue the lun copy command.
- D. Issue the volume move command.

Correct Answer: C

Cluster administrators can copy a LUN across Storage Virtual Machines (SVMs) within the cluster by using the lun copy command.

References: http://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-sanag%2FGUID-5B6FA678-31F6-4572-9E9E-B22637BAE911.html

Latest NS0-158 Dumps

NS0-158 Study Guide

NS0-158 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.